TROLLING MOTORS & ACCESSORIES

Trolling Motors

Bow Mount

Minn Kota 2-6
Motorguide.....14-16

Engine Mount

Minn Kota 9

Outboard Motor

Minn Kota 8

Transom Mount

Minn Kota 7,8
Motorguide.....16,17

Replacement Parts

Minn Kota 11,12
Motorguide.....20

Trolling Motor Accessories

Angler's Pal 21
Big Foot 21
BoatBuckle 21
Johnny Ray.....22
Marinco.....22
Mar-Lan 23
Minn Kota 9-11
Motorguide.....18-20
Panther.....23
Pinpoint.....20
R&R Design.....23
RAM Mounts.....23
Rod Saver.....23,24
Sierra.....24
Springfield.....24
Swivl-Eze.....24
T-H Marine.....24,25
TRAC.....25,26
TrollMaster.....26

Props

Minn Kota 12,13
Motorguide.....18
Navi-Gator 20
Young 20,21

Order numbers that are bolded and italicized represent new items for the year

Prices in this catalog are subject to change without notice. We are not responsible for errors in printing as a result of typing/ proofing or misinformation of products supplied by manufacturers. We are not responsible for manufacturers' specifications that have changed since the publication date of this catalog. Only the warranties supplied by the manufacturers of the products listed are offered. Some products in this catalog are dangerous. We do not assume any liability for damage, injury or death which may result from the misuse of any of the products contained herein. The ultimate user or consumer should follow safe practices and carefully review all instructional material.

NEW

MINN KOTA®
ULTERRA™ - AUTOMATED STOW/DEPLOY & POWER TRIM

•Bow-mount trolling motor provides automatic boat control & anchoring, & automated stow/deploy & power trim •Comes standard w/Universal Sonar 2 •May be controlled wirelessly w/your choice of either i-Pilot® or i-Pilot Link™ pre-installed remote control •Equipped w/multi-function, corded foot pedal w/dedicated Spot-Lock button in addition to speed & steering controls (includes 18 ft. cord) •Indestructible composite shaft •Cool, quiet power •Weedless Wedge™ 2 prop •Digital Maximizer™ controls the draw of power at variable speeds for longer run time •2-Year Warranty

Order #	Mfg. #	Sub-Model	Shaft Length	Max Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
i-PILOT® PRE-INSTALLED									
5205089	1358902	80/IP/US2	45"	80#	24	Ulterra	Variable	25'	$1,989.99
5205090	1358900	80/IP/US2	60"	80#	24	Ulterra	Variable	25'	2,009.99
5205091	1358912	112/IP/US2	45"	112#	36	Ulterra	Variable	25'	2,229.99
5205092	1358910	112/IP/US2	60"	112#	36	Ulterra	Variable	25'	2,249.99
i-PILOT LINK™ PRE-INSTALLED									
5205087	1358901	80/IP LINK/US2	60"	80#	24	Ulterra	Variable	25'	2,319.99
5205088	1358911	112/IP LINK/US2	60"	112#	36	Ulterra	Variable	25'	2,549.99

MINN KOTA®
TERROVA™ - BOW MOUNT

•Built with power and uncompromising strength •Easy-to-use handle and fallaway ramps •Balanced motor design allows easy stowing •Special master cut-off switch automatically turns power off when stowed •Waterproof, low-profile, electric steer foot pedal w/18' cord for precise control, less than 1° steering resolution •2 steering options: heel/toe or left/right steering buttons •Includes rotary speed dial, AutoPilot on/off button and mom/con on toggle •Works in conjunction w/CoPilot™ accessory •Digitally controlled AutoPilot™ delivers infinitely variable steering adjustments, smooth course corrections, tighter heading accuracy, ultimate boat-control advantage •CoPilot compatible •Universal Sonar 2 models available •Digital Maximizer™ •Indestructible composite shaft •Cool quiet power •Weedless Wedge™ 2 prop •See following pages for i-Pilot & i-Pilot Link features

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204326	1358800	Terrova 55	48"	55#	12	Terrova	Variable	21'	$799.99
5204248	1358801	Terrova 55	54"	55#	12	Terrova	Variable	21'	809.99
5204256	1358811	Terrova 80	60"	80#	24	Terrova	Variable	25'	1,119.99
w/UNIVERSAL SONAR* 2									
5204257	1358860	Terrova 80/US2	54"	80#	24	Terrova	Variable	25'	1,209.99
5204258	1358861	Terrova 80/US2	60"	80#	24	Terrova	Variable	25'	1,219.99
5205024	1358843	Terrova 112/US2	60"	112#	36	Terrova	Variable	25'	1,479.99
w/UNIVERSAL SONAR* 2 & i-PILOT™ PRE-INSTALLED - INCLUDES FOOT PEDAL									
5204878	1358854	Terrova 55/US2/i-Pilot	45"	55#	12	Terrova	Variable	21'	1,249.99
5204879	1358853	Terrova 55/US2/i-Pilot	54"	55#	12	Terrova	Variable	21'	1,259.99
5204880	1358864	Terrova 80/US2/i-Pilot	45"	80#	24	Terrova	Variable	25'	1,489.99
5204881	1358865	Terrova 80/US2/i-Pilot	60"	80#	24	Terrova	Variable	25'	1,509.99
5205085	1358868	Terrova 80/US2/i-Pilot	72"	80#	24	Terrova	Variable	25'	1,659.99
5205022	1358841	Terrova 112/US2/i-Pilot	54"	112#	36	Terrova	Variable	25'	1,739.99
5205023	1358842	Terrova 112/US2/i-Pilot	60"	112#	36	Terrova	Variable	25'	1,749.99
5205086	1358844	Terrova 112/US2/i-Pilot	72"	112#	36	Terrova	Variable	25'	1,899.99
w/UNIVERSAL SONAR* 2 & AUTOPILOT									
5204262	1366161	Terrova 80/AP/US2	60"	80#	24	Terrova	Variable	25'	1,419.99
5205025	1366180	Terrova 112/AP/US2	60"	112#	36	Terrova	Variable	25'	1,679.99
w/UNIVERSAL SONAR* 2 & i-PILOT™ LINK PRE-INSTALLED - INCLUDES FOOT PEDAL									
5204926	1358855	Terrova 55/US2/iP-Link	54"	55#	12	Terrova	Variable	21'	1,549.99
5204927	1358866	Terrova 80/US2/iP-Link	45"	80#	24	Terrova	Variable	25'	1,799.99
5204928	1358867	Terrova 80/US2/iP-Link	60"	80#	24	Terrova	Variable	25'	1,819.99
5205021	1358840	Terrova 112/US2/iP-Link	60"	112#	36	Terrova	Variable	25'	2,049.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables

MINN KOTA®
FORTREX - BOW MOUNT

•Innovative Mono Arm design •Single hinge point has fewer moving parts than traditional scissors mount and has a rear pivot bearing that is 20x larger •Counter-Tension Stability (CTS) design features an integrated spring arm that applies force in both the stowed & deployed positions •Marine-grade anodized extruded aluminum structural beam design •All metal interfaces are isolated w/composite bushings •Side plates have replaceable nylon motor rest inserts •7/16" diameter pivot pin •Extruded marine-grade aluminum bow plate •Removeable Bow Guard 360™ •Incorporates enhanced patented Lift-Assist design •Control box is a hybrid composite material improving impact resistance •Lighted directional indicator •Non-marring soft grip rope handle w/improved abrasion resistance •Integrated* bow mount stabilizer comes standard on all Fortex except 80 lb. 45" models •Hand Control model utilizes the Tilt/Extend Tiller, which tilts (up to 45º) & extends (up to 6") to give you maximum control

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204422	1368660	Fortrex 80	45"	80#	24	Bowguard 360º™	Variable	25'	$1,199.99
5204423	1368661	Fortrex 80	52"	80#	24	Bowguard 360º™	Variable	25'	1,229.99
5205015	1368687	Fortrex 112	45"	112#	36	Bowguard 360º™	Variable	25'	1,349.99
5205016	1368688	Fortrex 112	52"	112#	36	Bowguard 360º™	Variable	25'	1,379.99
w/UNIVERSAL SONAR 2*									
5204425	1368670	Fortrex 80/US2	45"	80#	24	Bowguard 360º™	Variable	25'	1,299.99
5204426	1368671	Fortrex 80/US2	52"	80#	24	Bowguard 360º™	Variable	25'	1,329.99
5204427	1368672	Fortrex 80/US2	62"	80#	24	Bowguard 360º™	Variable	25'	1,359.99
5205017	1368695	Fortrex 112/US2	45"	112#	36	Bowguard 360º™	Variable	25'	1,449.99
5205018	1368696	Fortrex 112/US2	52"	112#	36	Bowguard 360º™	Variable	25'	1,479.99
HAND CONTROL									
5205020	1368686	Fortrex 112 Hand	52"	112#	36	Bowguard 360º™	Variable	25'	1,199.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables

MINN KOTA®
MAXXUM® - BOW MOUNT

•Cool quiet power •Indestructible composite shaft •Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power •Weedless Wedge™ 2 prop •Cable steer control •Lighted directional indicator •Cable steer foot pedal, ergonomically designed for all-day comfort, heel/toe action, easy-to-use, provides complete control **•NOTE: Hand Control Models:** Ergonomic contoured tiller handle design incorporates both tilt and extension functions •45º upward tilt •Downward tilt feature for compact storage •Handle extends 6"

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
w/FOOT CONTROL									
5201962	1368553	Max 55	42"	55#	12	Bowguard 360º™	Variable	21'	$799.99
5201963	1368554	Max 55	52"	55#	12	Bowguard 360º™	Variable	21'	809.99
5201909	1368560	Max 70/SC	42"	70#	24	Bowguard 360º™	5	23'	729.99
5201906	1368561	Max 70	42"	70#	24	Bowguard 360º™	Variable	23'	829.99
5201907	1368562	Max 70	52"	70#	24	Bowguard 360º™	Variable	23'	839.99
5201912	1368580	Max 80	42"	80#	24	Bowguard 360º™	Variable	25'	1,049.99
5201913	1368581	Max 80	52"	80#	24	Bowguard 360º™	Variable	25'	1,079.99
w/HAND CONTROL									
5204434	1368620	Max 55 SC/Hand	52"	55	12	Bowguard 360º™	5/3	21'	549.99
5204435	1368630	Max 70 SC/Hand	52"	70#	24	Bowguard 360º™	5/3	23'	729.99
5204436	1368640	Max 80 BG/Hand	52"	80#	24	Bowguard 360º™	Variable	25'	929.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables

MINN KOTA®
EDGE BOW-MOUNT

•Cool quiet power •No-nonsense performance •Extruded upper arm made from Marine-grade anodized aluminum is built for years of trouble-free use •Redesigned motor head constructed of highly impact-resistant, hybrid composite material •Head integrates a high visibility directional indicator •Cable boot integrated into control box **•NOTE: Hand Control Models:** Tilt Twist Tiller™ multi-position handle provides natural OB convenience, quick access and instant response **•Foot Control Models:** Ultra-responsive foot pedal ergonomically designed for all-day comfort, easy-to-use, heel/toe action provides reliable, responsive cable steering control

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
w/FOOT CONTROL										
5204867	1355946	Edge 45	36"	45#	12	Latch & Door	Power Prop	5	18'	$379.99
5204868	1355947	Edge 45	45"	45#	12	Latch & Door	Power Prop	5	18'	389.99
5204869	1355948	Edge 45	50"	45#	12	Latch & Door	Power Prop	5	18'	399.99
5204871	1355956	Edge 55	45"	55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	519.99
5204872	1355957	Edge 55	52"	55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	534.99
5204874	1355970	Edge 70	45"	70#	24	Latch & Door	Weedless Wedge™ 2	5	23'	599.99
5204875	1355971	Edge 70	52"	70#	24	Latch & Door	Weedless Wedge™ 2	5	23'	614.99
w/HAND CONTROL										
5204870	1355945	Edge 45/H	45"	45#	12	Latch & Door	Power Prop	5/3	18'	299.99
5204873	1355955	Edge 55/H	52"	55#	12	Latch & Door	Weedless Wedge™ 2	5/3	21'	469.99

MINN KOTA®
POWERDRIVE™ V2 - BOW MOUNT

•Cool quiet power •Ergonomically designed foot pedal offers precise speed adjustment, right/left steering, momentary and constant On/Off, high IP68 waterproof rating and 18' cord •Deploy-assist lever puts user in motion quickly and easily and provides easy, secure stowing •AutoPilot™ gives unparalleled navigational control, patented compass keeps boat on course even in adverse weather •Indestructible composite shaft •Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge •CoPilot™ handheld remote (Sold Separately) allows speed/steering control from anywhere on boat •See page 11 for i-Pilot features

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
5204537	1358704	45PD V2	48"	45#	12	PowerDrive™	Weedless Wedge™ 2	Variable	18'	$479.99
5204225	1358705	50PD V2	48"	50#	12	PowerDrive™	Weedless Wedge™ 2	Variable	20'	589.99
5204227	1358710	55PD V2	48"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	589.99
5204228	1358711	55PD V2	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	599.99
5204237	1358720	70PD V2	54"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	769.99
5204238	1358721	70PD V2	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	779.99
w/i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM -NO FOOT PEDAL (option available)										
5204883	1358740	55PD V2/i-Pilot	48"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	929.99
5204884	1358741	55PD V2/i-Pilot	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	939.99
5204886	1358726	70PD V2/i-Pilot	54"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1,099.99
w/AUTOPILOT										
5204231	1366200	55PD V2/AP	48"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	789.99
5204232	1366201	55PD V2/AP	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	799.99
5204242	1366211	70PD V2/AP	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	979.99
w/UNIVERSAL SONAR* 2										
5204229	1358750	55PD V2/US2	48"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	689.99
5204230	1358751	55PD V2/US2	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	699.99
5204239	1358755	70PD V2/US2	54"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	869.99
5204240	1358756	70PD V2/US2	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	879.99
w/UNIVERSAL SONAR* 2 & i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM -NO FOOT PEDAL										
5204885	1358753	55PD V2/US2/i-Pilot	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	1,029.99
5204887	1358758	70PD V2/US2/i-Pilot	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1,179.99
w/UNIVERSAL SONAR* 2 & AUTOPILOT										
5204234	1366251	55PD V2/AP/US2	54"	55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	899.99
5204243	1366260	70PD V2/AP/US2	54"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1,069.99
5204244	1366261	70PD V2/AP/US2	60"	70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1,079.99
POWERDRIVE PONTOON w/QUICK RELEASE BRACKET										
5204245	1358712	54PD V2	48"	54#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	589.99
5204246	1358722	68PD V2	48"	68#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	739.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables

MINN KOTA®
PONTOON BOW-MOUNT

•Updated, sleek design •Cool, quiet power •Control speed & steering with the Hand Control motor's Tilt Twist Tiller™ •Compact mount frees up more deck space •Compatible with Quick Release Brackets (sold separately) •Composite shaft •Weedless Wedge™ 2 prop

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204876	1355954	Pontoon55/Hand	52"	55#	12	Latch & Door	5/3	21'	$399.99
5204877	1355975	Pontoon70/Hand	52"	70#	24	Latch & Door	5/3	25'	499.99

MINN KOTA®
RIPTIDE® SP - BOW MOUNT

•Cool quiet power •Optimized saltwater performance •Reengineered electric steer control •Indestructible composite shaft •Deploy-assist lever provides quick motion, easy/secure stowing •CoPilot™ remote gives freedom to operate from anywhere on boat •Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power •Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating •All components are finished with 5-mil TGIC polyester, powder-coat paint •Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater •Sacrificial anode protects motor from galvanic corrosion •Optional corded or wireless foot pedals offer side-to-side steering, momentary/constant on switch, speed control knob for precise adjustments and 18' cable with IP68-rated waterproof connector plug •Weedless Wedge™ 2 prop •See page 11 for i-Pilot features

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204272	1363550	RT55/SP/CP	48"	55#	12	PowerDrive™	Variable	21'	$759.99
5204955	1363554	RT55/SP/CP	54"	55#	12	PowerDrive™	Variable	21'	769.99
5204274	1363560	RT70/SP/CP	54"	70#	24	PowerDrive™	Variable	23'	919.99
w/ i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM - WITHOUT FOOT PEDAL									
5204895	1363553	RT55/SP/IP	48"	55#	12	PowerDrive™	Variable	21'	1,039.99
5204896	1363563	RT70/SP/IP	54"	70#	24	PowerDrive™	Variable	23'	1,199.99

MINN KOTA®
RIPTIDE® ST - BOW MOUNT

•Saltwater powerhouse •Easy-to-use handle & fallaway ramps on the stow/deploy mechanism lets you effortlessly move your motor in & out of the water •Balanced motor design makes stowing easy, and a special master cut-off switch automatically turns the power off when stowed •AutoPilot™: Digitally controlled •Gives unparalleled navigational control •Patented compass in AutoPilot™ keeps your boat traveling on course, even through heavy wind or chop •Standard CoPilot gives you control of speed, steering and On/Off controls, along with a high speed bypass control for instant full power •Composite shaft is impervious to the corrosive effects of saltwater •Will not break, kink or corrode •Maximizer technology controls the draw of power at variable speeds •Weedless Wedge™ 2 prop •Optional corded foot pedal available •See page 11 for i-Pilot features

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204317	1363760	RT80/ST/CP	54"	80#	24	Terrova™	Variable	$1,219.99
w/AUTOPILOT								
5204320	1363711	RT80/ST/CP/AP	60"	80#	24	Terrova™	Variable	1,429.99
5205027	1363730	RT112/ST/CP/AP	60"	112#	36	Terrova™	Variable	1,699.99
w/ i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM - WITHOUT FOOT PEDAL								
5204892	1363704	RT55/ST/IP	54"	55#	12	Terrova™	Variable	1,199.99
5204893	1363714	RT80/ST/IP	54"	80#	24	Terrova™	Variable	1,469.99
5204918	1363715	RT80/ST/IP	60"	80#	24	Terrova™	Variable	1,479.99
5205028	1363731	RT112/ST/IP	60"	112#	36	Terrova™	Variable	1,829.99
w/i-PILOT™ LINK WIRELESS GPS BASED TROLLING MOTOR SYSTEM - WITHOUT FOOT PEDAL								
5204953	1363705	RT55/ST/i-Link	54"	55#	12	Terrova™	Variable	1,559.99
5204954	1363716	RT80/ST/i-Link	54"	80#	24	Terrova™	Variable	1,809.99
5204958	1363717	RT80/ST/i-Link	60"	80#	24	Terrova™	Variable	1,819.99

MINN KOTA®
RIPTIDE® SF - BOW MOUNT

•Designed for professionals & saltwater guides •Ergonomic contoured tiller handle design incorporates both tilt and extension functions •45º upward tilt •Handle extends 6" •Cool, quiet power •Lift-Assist stow & deploy w/heavy-duty gas-charged spring, cuts weight of lifting motor 50% •Mounting system w/heavy-duty, saltwater-engineered, corrosion-resistant stainless steel spring; breaks away on impact from any direction, automatically resets itself and protects motor/bow from hidden obstacles, detaches for added convenience •Indestructible composite shaft •Weedless Wedge™ 2 prop •Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power •Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating •All components are finished with 5-mil TGIC polyester, powder-coat paint •Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater •Sacrificial anode protects motor from galvanic corrosion

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204445	1363640	RT SF80/BG/H	52"	80#	24	Bowguard 360º™	Variable	25'	$1,149.99
5204446	1363641	RT SF80/BG/H	62"	80#	24	Bowguard 360º™	Variable	25'	1,179.99
5205026	1363660	RT SF112/BG/H	62"	112#	36	Bowguard 360º™	Variable	25'	1,299.99

MINN KOTA®
RIPTIDE® SE - BOW-MOUNT

•Cool, quiet power •Ergonomically contoured Tilt/Extend Tiller handle can both tilt (up to 45°) & extend (up to 6") to fit any style of fishing, and it tilts downward for easy storage •A digital battery indicator is located right on the motor head •Extruded, anodized aluminum arm •Quick-Lock cam depth adjuster •Indestructible composite shaft flexes on impact & won't break, kink or corrode •Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power •Weedless Wedge™ 2 prop •Sacrificial anode protects motor from galvanic corrosion

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204889	1355915	RT55/SE/B/Hand	52"	55#	12	Compact Latch & Door	Variable	21'	$669.99
5204890	1355920	RT70/SE/B/Hand	52"	70#	24	Compact Latch & Door	Variable	23'	799.99

MINN KOTA®
RIPTIDE® SALTWATER - BOW MOUNT

•Ergonomic contoured tiller handle design incorporates both tilt and extension functions •45º upward tilt •Handle extends 6" •Cool, quiet power •Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating •All components are finished with 5-mil TGIC polyester, powder-coat paint •Indestructible composite shaft •Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power •Weedless Wedge™ 2 prop •Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater •Sacrificial anode protects motor from galvanic corrosion

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
SM SERIES, w/TILT TWIST TILLER™									
5204451	1363420	RT55/SM/L&D/SC	42"	55#	12	Latch & Door	5/3	23'	$599.99
5204452	1363421	RT55/SM/L&D/SC	52"	55#	12	Latch & Door	5/3	23'	609.99
5204453	1363422	RT55/SM/L&D	52"	55#	12	Latch & Door	Variable	23'	699.99
5204454	1363425	RT70/SM/L&D/SC	52"	70#	24	Latch & Door	5/3	23'	699.99
5204456	1363445	RT80/SM/BG	52"	80#	24	Bowguard 360º™	Variable	25'	999.99
5204455	1363447	RT80/SM/L&D	52"	80#	24	Latch & Door	Variable	25'	969.99
05204457	1363446	RT80/SM/BG	62"	80#	24	Bowguard 360º™	Variable	25'	1,029.99

MINN KOTA®
ENDURA C2 - TRANSOM MOUNT

•5-Speed •Cool, quiet power •6" telescoping ergonomic-designed handle •Indestructible composite shaft •Strong, 10-position Lever Lock Bracket mount is constructed of special composite materials that resists flexing, warping & UV damage •Two-year warranty

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
5204581	1352230	Endura C2 30	30"	30#	12	Lever Lock Bracket	Power Prop	5/3	14'	$109.99
5204582	1352240	Endura C2 40	36"	40#	12	Lever Lock Bracket	Power Prop	5/3	17'	169.99
5204583	1352245	Endura C2 45	36"	45#	12	Lever Lock Bracket	Power Prop	5/3	18'	189.99
5204584	1352250	Endura C2 50	36"	50#	12	Lever Lock Bracket	Power Prop	5/3	20'	209.99
5204585	1352251	Endura C2 50	42"	50#	12	Lever Lock Bracket	Power Prop	5/3	20'	219.99
5204586	1352255	Endura C2 55	36"	55#	12	Lever Lock Bracket	Power Prop	5/3	21'	229.99
5204587	1352256	Endura C2 55	42"	55#	12	Lever Lock Bracket	Power Prop	5/3	21'	239.99

MINN KOTA®
ENDURA™ MAX - TRANSOM MOUNT

•The power of Digital Maximizer™ keeps you out on the water up to five times longer on a single charge •Includes variable speed control for more precise and smooth speed adjustments & improved boat control •Push-to-test battery meter •Indestructible composite shaft •Cool, quiet power •10-position lever-lock bracket features a quick-release lever lock and reinforced composite material that resists flexing, warping & UV damage •6" telescoping handle

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
5204930	1352140	Endura Max 40	36"	40#	12	Lever Lock Bracket	Power Prop	Variable	17'	$219.99
5204931	1352145	Endura Max 45	36"	45#	12	Lever Lock Bracket	Power Prop	Variable	18'	239.99
5204932	1352150	Endura Max 50	36"	50#	12	Lever Lock Bracket	Power Prop	Variable	20'	259.99
5204933	1352151	Endura Max 50	42"	50#	12	Lever Lock Bracket	Power Prop	Variable	20'	269.99
5204934	1352155	Endura Max 55	36"	55#	12	Lever Lock Bracket	Power Prop	Variable	21'	279.99
5204935	1352156	Endura Max 55	42"	55#	12	Lever Lock Bracket	Power Prop	Variable	21'	289.99

MINN KOTA®
TRAXXIS - TRANSOM MOUNT

•Transom motor platform improves every functional aspect of the on-the-water experience •Motor deploys to 10 different positions •Easily accessible thumb release provides simple deploy operation •Ergonomic contoured tiller handle design incorporates both tilt and extension functions •45º upward tilt •Handle extends 6" •Quick-Lock cam design for depth adjustment •Steering tension/vertical stow collar improves steering tension & allows the motor to be stowed in a vertical position •Push-to-test battery meter integrated into head

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204540	1368707	Traxxis 45	36"	45#	12	Metal 10-Position	Variable	$289.99
5204441	1368715	Traxxis 55	36"	55#	12	Metal 10-Position	Variable	329.99
5204442	1368716	Traxxis 55	42"	55#	12	Metal 10-Position	Variable	339.99
5204443	1368720	Traxxis 70	42"	70#	24	Metal 10-Position	Variable	429.99
5204444	1368730	Traxxis 80	42"	80#	24	Metal 10-Position	Variable	539.99

MINN KOTA®
VANTAGE® - TRANSOM MOUNT

•Cool quiet power •4.1 Steering: moving Tilt/Extend 45º changes lower unit full 180º, eliminates tiller interference with outboard or kicker motor •Power Trim: push of button raises or lowers motor to meet changing depth and fishing conditions •Power Stow and Deploy: automatically raises motor to stowed position •Tilt/Extend tiller extends 31" to give better control from inside back of boat, tilts up/down for greater comfort and steering control •Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge •Breakaway mount automatically breaks away on impact, resets itself, protects motor from hidden hazards •Backtroll instantly by lifting directional indicator, rotating 180º and setting back down •Indestructible composite shaft •Weedless Wedge™ 2 prop

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5201940	1352625	Vantage 80	Variable	80#	24	Metal Breakaway	Variable	25'	$1,349.99
5201983	1352638	Vantage 101	Variable	101#	36	Metal Breakaway	Variable	25'	1,499.99

MINN KOTA®
RIPTIDE® SALTWATER - TRANSOM MOUNT

•Rebuilt with an intuitive, easy-to-use design •Cool, quiet power •Indestructable composite shaft •Push-to-test battery meter gives an "instant state of charge" reading at the push of a button •Advanced corrosion protection - every Riptide motor features a sacrificial anode, corrosion-fighting metals & an innovative, protective powder coat paint •All models feature a tiller that extends up to 6" for comfortable steering •On 112 & 80 lb. models, a special Tilt/Extend Tiller also tilts (up to 45º) for maximum control & can tilt downward for easy storage •On select models Digital Maximizer™ helps you stay on the water up to 5x longer on a single charge •This exclusive technology controls the draw of power at variable speeds

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
SPEED COIL / TELESCOPING HANDLE / POWER PROP									
5205029	1363844	RT45/SC/T	36"	45#	12	Lever Lock Bracket	5/3	18'	$249.99
5205031	1363854	RT55/SC/T	42"	55#	12	Lever Lock Bracket	5/3	21'	359.99
TELESCOPING HANDLE / POWER PROP									
5205030	1363845	RT45/V/T	36"	45#	12	Lever Lock Bracket	Variable	18'	299.99
5205036	1363855	RT55/V/T	36"	55#	12	Lever Lock Bracket	Variable	21'	409.99
5205032	1363856	RT55/V/T	42"	55#	12	Lever Lock Bracket	Variable	21'	414.99
TILT/EXTEND TILLER / WEEDLESS WEDGE 2 / DIGITAL MAXIMIZER / BATTERY METER									
5205082	1363831	RT 80/T	42"	80#	24	Lever Lock Bracket	Variable	25'	719.99
5205033	1363860	RT112/T	52"	112#	36	Lever Lock Bracket	Variable	25'	839.99

MINN KOTA®
WATERFOWL EDITION - TRANSOM MOUNT

•Built to take on the elements •Realtree MAX-5 44 motor and shaft for ultimate concealment •Tilt Twist Tiller™ multi-position handle provides natural OB convenience, quick access and instant response •Indestructible composite shaft •Weedless Wedge™ prop •Lifetime Warranty

Order #	Mfg. #	Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5205083	1351923	Waterfowl	36"	45#	12	Lever Lock Bracket	5/3	18'	$259.99
5205084	1351928	Waterfowl	36"	55#	12	Lever Lock Bracket	5/3	21'	299.99

MINN KOTA®
E-DRIVE ELECTRIC OUTBOARD MOTOR

•For lakes with environmental or gasoline outboard restrictions •Quiet 2HP power plant moves full-size pontoon boat up to 5 mph •Efficient 48V system allows up to 2-hour run at 100% power on single charge •Ultra-responsive throttle lever has forward, neutral and reverse positions •Includes key lock-out and trim switch •Back-lit Realtime Digital Battery Gauge, gives instant reading of how many hours of runtime are left on battery, fuel gauge showing battery condition and throttle power level •Stainless steel prop •Built-in Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge •Cable steering compatible, connects directly to boat's cable steer linkage •Dash-mounted tilt gauge gives instant readout of motor position •Mount includes power-tilt mechanism and built-in breakaway mount that protects boat from underwater collisions

Order #	Mfg. #	Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5201680	1371010	E-Drive	20"	2 hp	48	Bolt-on Transom	Variable	25'	$2,899.99

MINN KOTA®
EM SERIES - ENGINE MOUNT

•Cool quiet power •Composite bracket will not interfere with normal performance of outboard or I/O motor •Mounts on cavitation plate of OB or I/O lower unit •No stowing/deploying required •Completely out-of-sight •Keeps deck clear and recreational boats from looking like fishing boats •Once on plane, EM rides completely out of water •Control speed with 18' corded remote that can be mounted or handheld •Offers infinitely variable speed control in forward or reverse •Features neutral (off) detent positon •Motor can be steered using boat steering wheel or outboard tiller •Electronics are housed in fully waterproof control module mounted below deck •Electronics are sealed in marine-grade polyurethane for corrosion-proof protection •Extruded aluminum housing features specially designed fins that dissipate heat to keep things cool under high rpm use •Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge •Weedless Wedge™ 2 prop

Order #	Mfg. #	Sub-Model	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
MK SERIES FRESHWATER								
5202069	1370610	MK55EM	55#	12	Single-Composite	Variable	18'	$649.99
5202080	1370620	MK80EM	80#	24	Single-Composite	Variable	20'	849.99
5202120	1370630	MK101EM	101#	36	Single-Composite	Variable	22'	949.99
RIPTIDE SERIES SALTWATER								
5202136	1370615	RT55EM	55#	12	Single-Composite	Variable	18'	699.99
5202137	1370625	RT80EM	80#	24	Single-Composite	Variable	20'	899.99
5202139	1370645	RT160EM	160#	24	Dual-Composite	Variable	24'	1,099.99

MINN KOTA®
i-PILOT®

•Ergonomically redesigned remote •20% larger LCD screen, high-visibility laser-etched buttons & an easy-access external battery compartment •Compact, watertight & easy to use, this remote gives you instant feedback on active functions, speed, prop on/off status, battery power & GPS signal strength •Record A Track - can record your track, then retrace the path automatically •Up to 6 different tracks can be stored & recalled •Spot Lock - works like an electronic anchor •Automatically corrects for wind, drift or waves •Recall feature allows you to return to a stored Spot-Lock location •Stores up to 6 locations •Advanced Auto Pilot - projects a series of waypoints based on motor position •Will maintain the boat's heading while compensating for wind, current & drift •Standard AutoPilot™ will remain as a function for unique situations •Cruise Control - uses GPS to maintain actual "on-the-water" MPH rather than trolling motor speed •CoPilot - Control speed, steering, prop on/off and high-speed bypass – our "legendary" CoPilot functions – from your i-Pilot remote •Free yourself from the foot pedal and fish from anywhere on the boat •Backlit for low light situations •Fully gasketed, water tight & floatable •Neck lanyard & carabiner included

Order #	Mfg. #	Description	Sugg.Ret.
5204862	1866300	For Terrova Trolling Motors	$449.99
5204863	1866310	For PowerDrive V2 Trolling Motors	449.99
5204864	1866305	For Riptide ST Trolling Motors	449.99
5204865	1866315	For Riptide SP Trolling Motors	449.99
REPLACEMENT PARTS			
5205095	1866360	Micro Remote for i-Pilot & i-Pilot Link	99.99
5204866	1866350	Replacement Remote	159.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MINN KOTA®
i-PILOT® LINK™

•Utilizes GPS technology and Ethernet connectivity to enable communication & functionality between select Minn Kota motors, select Humminbird® fishfinders, and LakeMaster digital GPS maps •The ability to store & record location data on the fishfinder & the ability to have the trolling motor use that data for automatic navigation is something fisherman have been asking for •Unique Follow the Contour feature directs trolling motor to follow a specific depth contour that is displayed on the LakeMaster digital GPS map •The Go To feature steers the boat to specific locations such as waypoints, Spot-Locks and iTracks •These locations can be recorded either from the fishfinder or from the remote •Up to 2500 waypoints & Spot-Locks, and 50 iTrack locations can be stored in the fishfinder •Spot-Locks are locations that have been recorded & stored using the Spot-Lock feature in the iPilot Link remote or the Humminbird fishfinder •When activated, it works like an electronic anchor by keeping the boat within a 5' radius of the selected spot •iTracks are specific trolling motor paths (up to 2 miles in length) that have been recorded & stored so they can be retracked upon request •Classic functions of the original i-Pilot include Cruise Control, Advanced AutoPilot™ and CoPilot™ •i-Pilot Link remote features a full-color graphic LCD screen to display GPS signals, remote battery charge, prop status, current function & user menus •Remote also displays important data such as water depth & temperature •Most i-Pilot Link functions can be activated on the waterproof remote or with the Humminbird unit •Remote includes a rechargeable Li-ion battery •i-Pilot Link is compatible with Terrova™, PowerDrive™ V2, Riptide® ST and Riptide SP trolling motors and is exclusive for use with most Humminbird models that have Ethernet capabilities •Follow the Contour works exclusively with i-Pilot Link enabled LakeMaster digital GPS maps •Complete system includes new control head for the motor, a wireless remote & all necessary cables for installation •Includes lanyard & carabiner clip.

Order #	Mfg. #	Description	Sugg.Ret.
5204936	1866400	For Terrova Trolling Motors	$799.99
5204937	1866410	For PowerDrive V2 Trolling Motors	799.99
5204938	1866405	For Riptide ST Trolling Motors	799.99
5204939	1866415	For Riptide SP Trolling Motors	799.99
REPLACEMENT/ACCESSORY PARTS			
5205095	1866360	Micro Remote for i-Pilot & i-Pilot Link	99.99
5204940	1866450	Replacment Remote	299.99
5204941	1866460	Charge Cable	29.99
5204942	1866470	Holding Cradle/Belt Clip	29.99

MINN KOTA UNIVERSAL SONAR 2 COMPATIBILITY CHART

US|2

A Universal Sonar 2 adapter plug will allow you to quickly and conveniently connect and disconnect your motor from your fishfinder. Shielded cable connections virtually eliminate the possibility of sonar interference and are waterproof for extra dependability.

Universal Sonar 2's state-of-the-art, integrated and protected transducer is built into the lower unit of the motor and all wiring runs inside the indestructible composite shaft - out of sight and out of harm's way. No clamps. No ties. No exposed wires or connections. You get optimal sonar performance to help you find fish.

Required Accessory Adapter for Universal Sonar 2 Trolling Motors

Adapter #	Sonar Brand	Compatible Models
MKR-US2-1	Garmin	Fishfinder 90‡, Fishfinder 100‡, Fishfinder 140‡, Fishfinder 160, Fishfinder 160C, Fishfinder 250, Fishfinder 250C, Fishfinder 300C, Fishfinder 320C, Fishfinder 340C, Fishfinder 400C, GPSMAP 168, GPSMAP 178C, GPSMAP 198C, GPSMAP 430s, GPSMAP 431s, GPSMAP 530s, GPSMAP 531s, GPSMAP 535s, GPSMAP 536s, Fishfinder 80‡, Fishfinder 120‡, GPSMAP 188, FISHFINDER 240 ‡with optional Garmin part number 010-10145-00, sold separately
MKR-US2-8	Humminbird	1157c Combo, 1158c Combo, 1159ci HD Combo, 1198c SI Combo, 1199ci HD SI Combo, 161 Combo, 323, 325, 343c, 345c, 363 Combo, 365i Combo, 383c Combo, 385ci Combo, 386ci Combo, 678c HD Combo, 688 ci HD Combo, 718, 728, 768 Combo, 778c, 778c HD, 788c Combo, 788ci Combo, 788ci HD Combo, 858c Combo, 858c HD Combo, 859ci HD Combo, 898c SI Combo, 898c HD SI Combo, 899 ci HD SI Combo, 917c Combo, 957c Combo, 958c Combo, 958c HD Combo, 959ci HD Combo, 998c SI Combo, 998c HD SI Combo, 999ci HD SI Combo, 999ci HD KVD Combo, Fishfinder 525, Fishfinder 535, Fishfinder 550, Fishfinder 560, Fishfinder 561, Fishfinder 565, Fishfinder 570, Fishfinder 580 Combo, Fishfinder 581i Combo, Fishfinder 586c, Fishfinder 586c HD, Fishfinder 587c Combo, Fishfinder 587ci HD, Fishfinder 596c HD Combo, Fishfinder 597c Combo, Fishfinder 597ci Combo, Fishfinder 597ci HD Combo, PiranhaMAX 143, PiranhaMAX 150, PiranhaMAX 153, PiranhaMAX 160, PiranhaMAX 170, PiranhaMAX 180, PiranhaMAX 190c
MKR-US2-9	Eagle	Cuda 168, Cuda 168EX, Cuda 128, Cuda 240 S/GPS, Cuda 240i S/GPS, Cuda 242, Cuda 250, Cuda 300, Cuda 350, FishElite 320, FishElite 480, FishElite 500C, FishElite 520C, FishElite 640, FishElite 642C, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, SeaFinder 240DF, SeaFinder 245DS, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500CD, SeaFinder 640C, SeaFinder 642C, SeaCharter 320DF, SeaCharter 480DF, SeaCharter 500CDF, FishEasy 2, FishEasy 245DS, FishEasy 250DS, FishEasy 320C, FishEasy 350C
	Lowrance	X-4, X-4 Pro, X-47, X-47EX, X-50DS, X-67C, X-86DS, X-96, M-52i, M-56, M-56i, M-68C, M-68i, Elite-4, Elite-4X, Elite-5, Elite-5X, Mark-4, Mark-5X, Mark-5X PRO
MKR-US2-10	Lowrance	HDS-5, HDS-5X HDS-7, HDS-8, HDS-9, HDS-10, HDS-12, LCX-20C, LCX-17M, LCX-25C, LCX-26C, LCX-27C, LCX-28C, LCX-37C, LCX-38C, LCX-110C, LCX-111C, LCX-112C, LCX-113C, LMS-330C, LMS-332C, LMS-334C, LMS-335C DF, LMS-337, LMS-339C, LMS-489, LMS-480 DF, LMS-520C, LMS-522C, LMS-525C, LMS-527C, X-52, X-59 DF, X-100C, X-102C, X-105C DF, X-107C DF, X-125, X-126 DF, X-135, X-136 DF, X-510C, X-515C
MKR-US2-11		14-1/2' Universal Sonar 2 extension cable for use with all accessory adapter plugs
MKR-US2-12	Garmin	ECHO 100, ECHO 101, ECHO 150, ECHO 151, ECHO 151dv, ECHO 200, ECHO 201, ECHO 201dv, ECHO 300c, ECHO 301c, ECHO 301dv, ECHO 500c, ECHO 501c, ECHO 550c, ECHO 551c, ECHO 551dv
MKR-US2-13	Humminbird	ONIX 8ci Combo, ONIX 10ci Combo
MKR-US2-14	Garmin	echoMAP 50s, echoMAP 50dv, echoMAP 70s, echoMAP 70dv, GPSMAP 527xs, GPSMAP547xs, GPSMAP 721xs, GPSMAP 741xs, GPSMAP 820xs, GPSMAP 840xs, GPSMAP 1020xs, GPSMAP 1040xs

Please note, all US2 trolling motors are 200kHz/83kHz DualBeam compatible and only provide traditional 2D sonar.

HUMMINBIRD. EAGLE GARMIN. LOWRANCE

Rev 5/14

MINN KOTA® UNIVERSAL SONAR 2 ADAPTER CABLES

•Required accessory adapter cable for Universal Sonar 2 trolling motors •Adapter plug allows you to quickly & conveniently connect & disconnect your trolling motor from your fishfinder or sonar •200 kHz & 200/83 kHz DualBeam PLUS™ compatible •Shielded, IP68-rated waterproof connectors are metal tipped to prevent sonar interference •**NOTE:** See "Universal Sonar 2 Compatibilty Chart" for fit details on previous page

Order #	Mfg. #	Adapter #	Sugg.Ret.
5204297	1852061	MKR-US2-1	$29.99
5204302	1852068	MKR-US2-8	29.99
5204303	1852069	MKR-US2-9	29.99
5204304	1852060	MKR-US2-10	29.99
5204305	1852080	MKR-US2-11	39.99
5205042	1852072	MKR-US2-12	29.95
5027702	1852073	MKR-US2-13	49.99
5027703	1852074	MKR-US2-14	29.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MINN KOTA® COPILOT™ SYSTEM

•Wireless control for PowerDrive™, PowerDrive™ w/AutoPilot™ & Riptide™ /AutoPilot™ •Plug-n-Play design allows easy hook-up •Receiver mounts to right side plate •Design allows trolling motor to be controlled from rod, wrist or belt •Functions: Steering (right & left), on/off & speed control •Quick-release rod mounts allow for easy transfer of transmitter from rod-to-rod •Includes: receiver, remote, 3 quick-release rod mounts and Velcro® wrist/belt strap

Order #	Mfg. #	Type	Sugg.Ret.
COPILOT™ WIRELESS SYSTEM			
5201748	1866100	Legacy PowerDrive	$149.99
5204306	1866150	PowerDrive V2	149.99
5204307	1866160	Terrova	199.99
REPLACEMENT PARTS			
5201746	1866120	Repl. Transmitter - Legacy PD & V2	49.99
5204296	1866170	Repl. Transmitter - Terrova & RT/ST	69.99

MINN KOTA® UNIVERSAL MOUNTING BRACKET

•Allows you to easily switch between cable steer & electric steer motors •Utilizes existing mounting hole patterns •No additional drilling required •Innovative positioning mechanism allows motor to slide onboard (up to 6") for additional clearance when launching boat •Removable top plate allows for motor to be easily removed for storage & security

Order #	Mfg. #	Sugg.Ret.
5204960	1854040	$149.99
UNIVERSAL MOUNTING BRACKET TOP PLATE (ONLY)		
5204961	1854045	79.99

5201637

5204290

5201471

5202011

5202013


5200898

5204293

5204352

MINN KOTA® REPLACEMENT PARTS

Order #	Mfg. #	Model	Description	Sugg.Ret.
REMOTE CONTROL				
5205095	1866360	N/A	Micro Remote for i-Pilot & i-Pilot Link	$99.99
BATTERY & CHARGING ACCESSORIES				
5204290	1865108	MKR-21	AC Power Port (Black)	14.99
5204350	1865110	MKR-23	AC Power Port (White) Saltwater Applications	14.99
BOW MOUNT STABILIZER KIT				
5201471	1862013	MKA-4	Bow mount-designed shock absorber for Maxxum & Riptide, Velcro® strap, w/hardware	29.99
5205094	1862050	MKA-50	For Fortrex or Riptide SF bow-mount motors	44.99

continued next page

MINN KOTA® REPLACEMENT PARTS

continued from previous page

Order #	Mfg. #	Model	Description	Sugg.Ret.
BRACKET-QUICK RELEASE				
5201448	1862016	MK52/62	Max/RT Quick Release (Long: 52”/62” Shafts) Scissor Mount.	149.99
5201637	1854013	MKA-16-02	PowerDrive or AutoPilot Quick Release	49.99
5201341	1862014	MKA-42	Maxxum (Short bracket) 42’’, Solid anodized aluminum, great for fresh or saltwater applications, lifetime guarantee, simple installation Scissor Mount. PK2.	129.99
5202009	1854017	RTA-17	Riptide, Composite PD/AP QRB	79.99
5202041	1854021	MKA-21	PowerDrive or PowerDrive w/AP Composite	79.99
5204292	1854060	MKA-32	Electric Steer -Terrova, PowerDrive V2 or PowerDrive	129.99
BRACKET-QUICK RELEASE SCISSORS MOUNT				
5202011	1854019	RTA-19	For Riptide, Composite,	99.99
5202031	1854023	MKA-23	Maxxum Pro, Maxxum Plus ‘’Edge’’ or All Terrain Composite	99.99
CIRCUIT BREAKER				
5202013	1865106	MKR-19	60A, Waterproof	39.99
EXTENSION HANDLE				
5200898	1854100	MKA-7	30" long	29.99
5201519	1854101	MKA-18	18" long.	29.99
5204353	1854107	MKA-43	Telescopic 17"-25"	24.99
5204354	1854108	MKA-44	Telescopic 24"-40"	39.99
FOOT PEDAL				
5204293	1866065		Riptide SP Foot Pedal (Corded)	99.99
5204294	1866075		Riptide ST Foot Pedal (Corded)	149.99
5204346	1866040		Replacement PowerDrive Foot Pedal (Corded)	99.99
5204591	1866066		Replacement PowerDrive V2 Foot Pedal (Corded)	99.99
5204295	1866055		Replacement Wireless Foot Pedal - RT/SP &PD/V2	99.99
PROP NUT KITS - 2 PROP NUTS, LOCK WASHERS, DRIVE PINS				
5200743	1865010	MKP-9	Style A - All 3-1/4", 3-3/8", 3-5/8" dia. motors	6.99
5200744	1865011	MKP-10	Style B - All 4" dia. motors	6.99
5204359	1865014	MKP-23	Style D - 4" dia. motors w/Serial Number Prefix “MK”	6.99
5204900	1865019	MKP-34	Style E - Fits MKP-33 Weedless Wedge™ 2 prop	6.99
RECEPTACLE ADAPTER-6-GAUGE WIRE				
5201638	1865104		Allow for heavy 6-gauge wire connection to MKR-18 plug & receptacle	14.99
RECEPTACLE & PLUG KIT				
5201520	1865102	MKR-18	12 Volt. Universal design for 2 or 3 wire configuration	29.99
REPLACEMENT ROPE & HANDLE				
5204352	1854120	MKA-45	48" w/Nylon Braid Cord w/Heat Fused Ends. Ergonomic Soft Grip Pull Handle	9.99
REPLACEMENT CABLE & HANDLE				
5205093	1854125	MKA-49	48" Ultra-strong, abrasion-resistant, coated SS braided cable. Ergonomic soft grip handle	49.99
RIGGING ACCESSORIES				
5201443	1865101	MRK-12	Quick Connect Plug: For 12, 24,12/24 volt application. 10 ga. wire	9.99
5201444	1840201	MKR-15	Transducer Mounting Kit	19.99
5204150	1865107	MKR-20	Trolling Motor Plug. For 6-12 ga. wire. Kit includes 2 plug halves, four contacts & four solder plugs for securing wire leads into contacts.	19.99

REPLACEMENT PROP SELECTION GUIDE

•Minn Kota offers a wide range of replacement props to fit all existing and many discontinued models •The props include the nut attachment and can be installed in seconds

WEEDLESS WEDGE™ PROPS
•The only 100% fully weedless prop •Patented design pushes weeds away to conserve battery power •Easily moves through heavy vegetation or cover, even at slow speeds

WEEDLESS WEDGE™ 2 PROPS
•Exclusive prop is the only of its kind that is 100% weedless •Unique, patented design features swept-back and flared blades to “wedge” weeds away while conserving battery power •Moves through heavy vegetation, even at slow speeds

POWER PROPS
•Delivers extra power to push through heavy vegetation •Fits 3-1/4" & 3-5/8" diameters

WEEDLESS WEDGE

Order #	Mfg. #	Type	Fits	Sugg.Ret.
WEEDLESS WEDGE™ PROPS				
MKP-6				
5200809	1865003	Prop No.:	#2061125	35A, 35Ta, 40Ta, 65Ta, 35T, 50T, 50MXT, 65T, 555T, 555Ta, 565T, 565Ta, 30AT, 33AT, 36AT, 36AT/H, 365T, 365Ta, 365TMB, 765T, 765MXT, 765MXTa, 865T, 865MXTa, 665T, 665MXT, 30EX, 36EX, RT27/S, RT36/S, RT40/S, 36PD/C, 36PD/AP/C, 40PD, 40AP, Endura 30, Endura 34, Endura 36, Endura 38, Endura 40, Endura Pro 32, Endura Pro 38, 40AT, 40AT/H, 40PD, MAX 30T, MAX 36T, MAX 40, PowerMax 30, PowerMax 36, Vector 40 $16.99
		Motor Dia.:	3-1/4"	
		Prop Nut Kit:	“A”	

continued next page

continued from previous page

REPLACEMENT PROP SELECTION GUIDE

Order #	Mfg. #	Type		Fits	Sugg.Ret.
WEEDLESS WEDGE™ PROPS					
MKP-7					
5200413	1865006	Prop No.:	#2091150	90T, 112, 112S/S, 312, 324, 512, 524, 412, 42AT, 48AT, 712, 712S/S, 724, 724S/S, 812,	
		Motor Dia.:	3-5/8"	824, 42EX, RT42/AP/C, RT48/AP/C, 42PD/C, 50PD, 55PD, 65PD, 55AP, 65AP, 42AT/H, 48AT/H,	
		Prop Nut Kit:	"A"	42PD/AP/C, 48PD/AP/C, 65PD, 65PD/AP, Genesis 55, Genesis 55/AP, Genesis 55/AP-US, MAX 44, MAX 44BT, MAX 44/H, MAX 44T, MAX 50T, MAX 50BT, MAX 50/SC, MAX 54, MAX 54/H, MAX 55, MAX 55BT*, MAX 55/H, MAX 55/SC, MAX 55/SC/H/3x, MAX 55T*, MAX 65, MAX 65T, MAX 65-US, MAX 65BT, MAX 65/H, MAX 65/H/3x, MAX 65/SC, Endura 42, Endura 44, Endura 46, Endura 50, Endura 55, Endura Pro 46, 50AT, 50PD, 55PD/AP, 55PD-US, 55AP-US, 55AT, 55AT/H, 65PD-US, 65AP-US, 65AT, Spider 48, RT42/S, RT50/S, RT50/S/sc, RT50/SC, RT55/S*, RT55/B/H*, RT55/b/sc/l & d, RT55/b/l & d/3x, RT55/b/bg/3x, RT55/SC/H, RT55/AP, RT65/S, RT65/B, RT65/B/sc/l & D/3x, RT65/AP, RT48/AP, Camo 44, Vantage 50, Vantage 55, PowerMax 52, 54P Pontoon, 64PD Pontoon, PowerMax 47, Vector 46, Vector 55, Vector 55/3x, Vector 65, Vector 65/3x, Neptune Primary Propulsion Motors: EP42, EP48, EP65, EP96, EP130	24.99
				*Refer to original prop on motor.	
MKP-24					
5201454	1865013	Prop No.:	#2331130	MAX 101, MAX 101/H, MAX 101/H/3X, Vantage 101, RT101/S, RT101/S/3X, RT101/B, RT101/B/H,	
		Motor Dia.:	4"	RT101/B/BG/3X, Vector 101/3X	
		Prop Nut Kit:	"D"		37.99
MKP-8					
5200769	1865007	Prop No.:	#2331120	595W, 595M, 599W, 599M, 795M, 795MX, 799M, 799MX, 3HPS/SBM, RT3.1/B, RT4.3/B, 3.1HP/B,	
		Motor Dia.:	4"	4.3HP/B, 95W, 95M, 99W, 99M, 3HP, 3HPS/STM, 395W, 395M, 399W, 399M, RT70/S, RT74/AP,	
		Prop Nut Kit:	"B"	RT74/S, RT74/S/3X, RT74/B/BG/3X, RT74/B/L & D/3X, 55EX, 70EX, RT70/B, RT74/B/H (Bowguard), RT74/B/H (Latch & Door), 55AT/H, 70AT/H, 70T/H, 74PD, 74PD/AP, 74PD/AP-US, 4HP, RT3.1/S, RT4.3/S, 3.1HP/S, 4.3HP/S, 64AP, MAX 74, MAX 74-US, MAX 74/H, MAX 74/H/3X, MAX 74T, MAX 74BT, 64PD, 62PD/AP, Vantage 74, Genesis 74/AP, Genesis 74, Genesis 74/AP-US, Vector 74/3X Mag Series: 36W, 36M, 40W, 40M, 736MX, 740MX, 36MTM, 36WRM, 36MRM, 40WRM, 40MRM, 40MRW	34.99
WEEDLESS WEDGE™ 2 PROPS					
MKP-32					
5202016	1865017	Prop No.:	#2091160	Motor Models w/Serial Number Prefix "WW"	
		Motor Dia.:	3-5/8"	55AT,55AT/H,70AT, Max55/SC, Max55, Max55/SC/H, Max55SC/H/3X, Max70, Max70/H/3X,	
		Prop Nut Kit:	"A"	Max70/SC, Max70/S/CH, Max70/US, Max55T, Max, 70T, 50PD, 55PD/AP, 55PD/AP/US, 55PD/US, 65PD, 54PDPontoon, 68PDPontoon, 70PD, 70PD70PD/US, 70PD/AP/US, Vector46, Vector55, Vector55/3X, Vector70, Vector70/3X, Edge45, Edge55, Edge55/H, Edge70, Endura 46, Endura 50, Endura55, Endura Pro46, Endura Pro55, Camo 55XL, RT55/B/H, RT55/B/SC/L&D, RT55/B/L&D/3X, RT55/B/3X, RT65/B/SC/L&D/3X, RT70/B/H, RT70/SC,RT55/AP, RT50/S, MK55EM, RT55EM,	26.99
MKP-33					
5202017	1865018	Prop.No.:	#2331160	Motor Models w/Serial Number Prefix "WW"	
		Motor Dia.:	4"	Max80, Max80/US, Max80/H/3X, Max101, Max101/US, Max101/H, Max101/H/3X, MaxPro80,	
		Prop.Nut Kit	"E"	MaxPro80/US, MaxPro101, MaxPro101/US, Max80T, Max80/H, 80PD, 80PD/AP, 80PD/US, 80PD/AP/US, Vector80/3X, Vector101/3X, Vantage80, Vantage101, RTPro80, RTPro101, RT80B,RT80/B/L&D, RT8-/B/3X, RT80/B/L&D/3X, RT80/S, RT80/S/3X, RT101/B, RT101/B/3X, RT101/S, RT80AP, MK80EM, MK101EM, MK160EM,MK202EM, RT80EM, RT101EM,RT160EM,RT202EM	39.99
MKP-38					
5205045	1865023	Prop.No.:	#2341160	Motor Models w/Serial Number Prefix: "O"	
		Motor Dia.:	4-1/2"	Fortrex 112; Terrova 112; Riptide St 112; Riptide Sf 112; Riptide Transom 112	
		Prop.Nut Kit	"E"		39.99
POWER PROPS					
MKP-2					
5200342	1865002	Prop No.:	#2061121	35A, 35TA, 40TA, 50T, 65N, 65MXN, 35T, 50MXT, 65T, 765T, 765MXNA, 765MXT, 865,865T,	
		Motor Dia.:	3-1/4"	865MXT, 365T, 665T, 665MXNA, 665MXT, 555T, 565N, 565T, Endura 30, Endura 36, Endura 38,	
		Prop Nut Kit:	"A"	Endura 40, RT40/S, Endura Pro 32, Endura Pro 38, PowerMax 30, PowerMax 36 Mag Series: 24, 30, 36, 40	
				Ltd. Series: 24, 36, 536	13.99
MKP-37					
5204592	1865022	Prop No.:	2091170	Endura C2 55, Endura C2 50, Camo 55, Traxxis 70, Traxxis 55/SC, Traxxis 55, RT55/T,	
		Motor Dia.:	3-5/8"	RT50/SC/T	
		Prop Nut Kit:	"A"		25.99

Ellett Brothers

MotorGuide®

MOTORGUIDE®
X3™ SERIES

•Dual cable pull-pull steering system eliminates slack, while Variable Ratio Technology reduces torque steer feedback & improves responsiveness •Aircraft-grade extruded aluminum mounting bracket with improved rigidity & durability has a wider base for added stability & stainless steel bushings in key wear points •Larger diameter rugged inner shaft (composite or aluminum) with durable stainless steel outer shaft •**NOTES:** ***Foot Controlled**** motors feature reinforced foot pedal; ***Hand Controlled**** motors feature ext. twist tiller; ***Digital**** models feature Digital Power Management Technology that delivers precise variable speed control & longer run time

Order #	Mfg. #	Water	Mount	Shaft	Inner Shaft	Thrust	Volts	FWD/REV	Prop	Sugg.Ret.
FOOT CONTROLLED										
5204964	940200050	Freshwater	Bow	36"	Composite	45#	12	5/2	2-Bld Safari	$379.99
5204965	940200060	Freshwater	Bow	45"	Composite	45#	12	5/2	2-Bld Safari	389.99
5204966	940200070	Freshwater	Bow	50"	Composite	45#	12	5/2	2-Bld Safari	409.99
5204967	940200080	Freshwater	Bow	36"	Composite	55#	12	5/2	2-Bld Safari	509.99
5204968	940200090	Freshwater	Bow	45"	Composite	55#	12	5/2	2-Bld Safari	519.99
5204969	940200100	Freshwater	Bow	50"	Composite	55#	12	5/2	2-Bld Safari	539.99
5204970	940200110	Freshwater	Bow	45"	Composite	70#	24	5/2	2-Bld Safari	599.99
5204971	940200120	Freshwater	Bow	50"	Composite	70#	24	5/2	2-Bld Safari	619.99
DIGITAL*										
5205047	940200220	Freshwater	Bow	36"	Composite	55#	12	Variable	2-Bld Safari	609.99
5205048	940200170	Freshwater	Bow	45"	Composite	55#	12	Variable	2-Bld Safari	619.99
5205049	940200180	Freshwater	Bow	45"	Composite	70#	24	Variable	2-Bld Safari	699.99
HAND CONTROLLED*										
5204972	940200130	Freshwater	Bow	50"	Aluminum	45#	12	5/2	3-Bld Machete	299.99
5204973	940200140	Freshwater	Bow	50"	Aluminum	55#	12	5/2	3-Bld Machete	449.99
DIGITAL*										
5205061	941300010	Saltwater	Bow	50"	Composite	55#	12	Variable	3-Bld Machete	579.99
5205050	940200190	Freshwater	Bow	55"	Aluminum	55#	12	Variable	3-Bld Machete	569.99
5205051	940200230	Freshwater	Pontoon	55"	Aluminum	55#	12	Variable	3-Bld Machete	419.99

DIGITAL

MOTORGUIDE®
VARIMAX™ - FRESHWATER - BOW MOUNT

•Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3.5x longer than a 5-speed motor •Large diameter 1.25'' aluminum shaft for greater strength & durability •Powerful 3.5'' diameter VariMAX™ Digital motors run cooler & last longer •Revolutionary intuitive push/pull, forward & reverse speed adjustments •BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts (Available on 45, 55, and 75 lb. models) •One-touch rapid slide-depth adjustment collar •Extending Tri-Lobe Soft touch handle for the perfect feel & control

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
BOW HAND CONTROL								
5204547	966080035	V75 HB	50"	75#	24	#20.8 Gator Breakaway	Variable	$679.99
PONTOON HAND CONTROL								
5204548	966050025	V75 HP	50"	75#	24	Pontoon	Variable	514.99

DIGITAL

MOTORGUIDE®
DIGITAL WIRELESS SERIES - BOW MOUNT

•Easy-to-use Wireless Foot Pedal with On/Off, Right/Left and Faster/Slower wireless motor commands •Simple, precise wireless boat positioning from anywhere on deck, use pedal sitting or standing •Digital electronics •Composite shaft •Heavy-duty, Cradle Lock™ mount with ergonomic handle added to cable, quick release, lockable mounting plate and designed for easy one-hand, stow/deploy •Built-in battery meter includes 4 levels of charge data •Fits any boat & stands up to rough-water pounding •Rough-water lower unit cradle •Integrated battery indicator •Pontoon friendly •Built-in receiver allows addition of up to 4 Wireless Hand-Helds or Wireless Foot Pedals in any combination •Wireless Handheld Remote Sold Separately •See Pg. 19

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204606	970100360	W45	48"	45#	12	Cradle Lock™	Variable	$579.99
5202123	970100020	W55	48"	55#	12	Cradle Lock™	Variable	659.99
5202124	970100030	W55	54"	55#	12	Cradle Lock™	Variable	669.99
5202125	970100060	W55	60"	55#	12	Cradle Lock™	Variable	679.99
5202127	970100040	W75	54"	75#	24	Cradle Lock™	Variable	829.99
5202128	970100050	W75	60"	75#	24	Cradle Lock™	Variable	839.99

MotorGuide®

MOTORGUIDE®
BULLDOG™ FRESHWATER SERIES - BOW MOUNT

•Popular and compact trolling motor now provides a bigger underwater punch with 54 lbs. of thrust •The value-packed unit offers pond hoppers 360º, rack-and-pinion, foot control maneuverability through stumps & weedy obstacles for hands free fishing •Foot control pedal mounted on the bow or transom via an economical, aluminum transom mount built to take a pounding

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204472	921500090	Bulldog	30"	54#	12	#09 Wide-Bite	5/2	$499.99

DIGITAL

MOTORGUIDE®
VARIMAX™ - SALTWATER SERIES - BOW MOUNT

•Anodized aluminum mounts & components •Self-healing aluminum coating on the lower unit serves as the ultimate shield against corrosion & abuse •Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3.5x longer than a 5-speed motor •Large diameter 1.25" SS shaft for greater strength & durability •Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer •Revolutionary intuitive push/pull, forward & reverse speed adjustments •BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts •One-touch rapid slide-depth adjustment collar •Extending Tri-Lobe Soft touch handle for the perfect feel & control

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
BLUESPEED™ SPEED INDICATOR								
5204550	966180830	V75 SW HB	50"	75#	24	#20.8 Gator Breakaway	Variable	$749.99
5204551	966180840	V75 SW HB	60"	75#	24	#20.8 Gator Breakaway	Variable	849.99

DIGITAL

MOTORGUIDE®
GREAT WHITE® SALTWATER SERIES - BOW MOUNT

•Designed for the extreme test of saltwater •Multi-step lower unit coating process includes 99.9% pure Alumi-Plate coating under zinc-free epoxy powder primer •TGIC polyester topcoat protects against dings and scratches •Dual saltwater anodes for ultimate galvanic corrosion protection •Stainless steel shaft, fasteners and control cables •Anodized aircraft aluminum mounts with stainless components •Machete® III prop •**NOTE:** Digital Guardian - electronics are epoxy-coated and fully sealed in waterproof lower unit

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
HAND CONTROL-TWIST TILLER								
5202102	924410050	SW82HB Digital	50"	82#	24	Gator™ 21 RSW	Var/Rev	$999.99
5202103	924410060	SW82HB Digital	60"	82#	24	Gator™ 24 RSW	Var/Rev	1,049.99
5204563	924410070	SW109HB Digital	50"	105#	36	Gator™ 21R HB	Var/Rev	1,099.99
5202105	924410080	SW109HB Digital	60"	105#	36	Gator™ 24 RSW	Var /Rev	1,149.99

MotorGuide®

MOTORGUIDE®
TOUR SERIES - BOW MOUNT

•Quiet, smooth operation •Stainless steel shafts, components, metal head & pedal •Digital Guardian™ speed control, completely sealed and protected from heat, moisture, corrosion and shock, greatly improving durability •Improved efficiency for extended battery life •Machete® III prop •Compact, lightweight lower units •MicroSwitch designed to withstand demands of harsh, wet tournament conditons •No play, pull-pull adjustable steering

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
FRESHWATER BOW MOUNT								
5204597	930010390	TR75 FB Digital	45" SS	75#	24	#20.8 Gator Breakaway	Variable	$859.99
5201720	9BT42GAAF	TR82 FB Digital	45" SS	82#	24	#21 Gator Spring	Variable	1,079.99
5201721	9BT52GAAF	TR82 FB Digital	50" SS	82#	24	#21 Gator Spring	Variable	1,089.99
5201726	9BX43GAAF	TR109 FB Digital	45" SS	105#	36	#21 Gator Spring	Variable	1,169.99
5201727	9BX53GAAF	TR109 FB Digital	50" SS	105#	36	#21 Gator Spring	Variable	1,179.99

MOTORGUIDE®
TOUR SERIES - LOWRANCE® OPTIMIZED

•Redesigned motors w/built-in Lowrance® sonar nose cone transducer & temperature sensor to optimize sonar performance •Built-in 83/200kHz Lowrance® transducer provides clear, clean signals at 200kHz and is easily adaptable to Humminbird®, Vexilar® and Garmin® units via the 7 pin Lowrance® Blue/Gray connector coming out of the Tour Series foot pedal •For Lowrance® users, the built-in transducer offer 83kHz operating advantages w/ increased field-of-view & broadband capabilities when connected to Lowrance® broadband capable options •More accurate temperature readings because the housing exposes a greater surface area of the probe to ambient conditions •Hardware on Tour Series motors is better than ever •Pulleys beneath each pedal have been upgraded to cold hard stainless for increased strength, smoother operation and better compatibility with the higher grade stainless cables •Shaft bearings to reduce noise •Variable speed control knob features easier to read speed settings and is made of a durathane material that greatly improves impact resistance •Adapter Sold Separately •See Page 18

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204474	930011020	TR82L FB Digital	45"	82#	24	#21 Gator Spring	Variable	$1,149.99
5204475	930011030	TR82L FB Digital	50"	82#	24	#21 Gator Spring	Variable	1,159.99
5204476	930011040	TR82L FB Digital	60"	82#	24	#24 Gator Spring XL	Variable	1,209.99
5204477	930011050	TR109L FB Digital	45"	105#	36	#21 Gator Spring	Variable	1,239.99
5204478	930011060	TR109L FB Digital	50"	105#	36	#21 Gator Spring	Variable	1,249.99
5204479	930011070	TR109L FB Digital	60"	105#	36	#24 Gator Spring XL	Variable	1,299.99

DIGITAL

MOTORGUIDE®
VARIMAX™ - FRESHWATER - TRANSOM MOUNT

•Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3.5x longer than a 5-speed motor •Large diameter 1.25" aluminum shaft for greater strength & durability •Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer •Revolutionary intuitive push/pull, forward & reverse speed adjustments •BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts (Available on 45, 55, and 75 lb. models) •One-touch rapid slide-depth adjustment collar •Extending Tri-Lobe Soft touch handle for the perfect feel & control

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204605	966000070	V75 HT	42"	75#	24	Aluminum/#09 Transom	Variable	$394.99

MotorGuide®

NEW

MOTORGUIDE®
R3 SERIES

•Solid aluminum & steel lower unit w/powder coat finish & stainless steel hinge pins •Durable multi-position angle adjustment aluminum Taper-Lock mount with 7-point adjustment •Stainless steel propeller shaft •Reversible motor head for bow or transom mount operation •Includes an easy-to-use tilt/stow/deploy mechanism & swing over knobs on clamp screws to lock motor to transom •Ergonomic, ext. Twist-Tiller handle •1-touch, rapid slide-depth adjustment collar **•NOTES: *Digital**** models feature Digital Power Management Technology that delivers precise variable speed control & longer run time

Order #	Mfg. #	Water	Mount	Shaft	Shaft Material	Thrust	Volts	FWD/REV	Prop	Sugg.Ret.
5205052	940100170	Freshwater	03 Transom	30"	Aluminum	30#	12	5/2	2-Bld	$114.99
5205053	940100160	Freshwater	03 Transom	36"	Aluminum	40#	12	5/2	3-Bld Machete	174.99
5205054	940100150	Freshwater	09 Transom	36"	Aluminum	45#	12	5/2	3-Bld Machete	199.99
5205055	940100140	Freshwater	09 Transom	36"	Aluminum	55#	12	5/2	3-Bld Machete	244.99
DIGITAL*										
5205056	940100200	Freshwater	03 Transom	36"	Aluminum	45#	12	Variable	3-Bld Machete	219.99
5205057	940100180	Freshwater	09 Transom	36"	Aluminum	45#	12	Variable	3-Bld Machete	239.99
5205062	941000030	Saltwater	09 Transom	18"	SS	30#	12	Variable	3-Bld Machete	289.99
5205063	941000010	Saltwater	09 Transom	36"	SS	30#	12	Variable	3-Bld Machete	299.99
5205058	940100190	Freshwater	09 Transom	36"	Aluminum	55#	12	Variable	3-Bld Machete	279.99
5205059	940100210	Freshwater	09 Transom	42"	Aluminum	55#	12	Variable	3-Bld Machete	289.99
5205064	941000020	Saltwater	09 Transom	36"	SS	55#	12	Variable	3-Bld Machete	409.99



MOTORGUIDE®
GREAT WHITE® SALTWATER SERIES - TRANSOM MOUNT

•The choice of guides, competitive anglers and die-hards •Designed for extreme test of saltwater - heat-corrosion-big-water pounding •Digital power •Multi-step lower unit coating process includes 99.9% pure AlumiPlate coating under zinc-free epoxy powder primer •Stainless steel shaft, and fasteners •Digital Guardian module is epoxy-coated and fully sealed in waterproof lower unit, protected from heat, moisture, corrosion and shock, greatly improving durability •Anodized aircraft aluminum mounts and components prevent galvanic corrosion •Machete® III prop

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5201712	9CX53KQAX	SW109HT Digital	50"	109#	36	#09 Wide-Bite SW	Var/Rev	$749.99

MOTORGUIDE®
Xi5™ WIRELESS

•Wireless capability "right-out-of-the-box" •Anglers can command precise motor & steering control from anywhere on the boat •Wireless foot pedal is standard with freshwater models & a hand-held remote is standard with saltwater models •Steering transmission delivers dependable, quiet, precise performance from ball bearings that reduce friction & wear, to custom seals that keep water & dust out •Electronics are fully encapsulated in a high-tech coating, making them impervious to water & dust •Protection circuit prevents lower unit damage if prop is stalled •Composite shaft will bend, but won't break - lifetime warranty •LED lights in the controller so anglers can check the staus of 4 key functions in any light conditions •Battery power indicator uses different colored lights to show 3 levels of battery life in real time •An improved low-profile mount is all about form & function •Base uses anodized aluminum to prevent corrosion •Hardware components are SS throughout, including the linkage that's built to be tough •Unique stow & deploy mechanism aligns and guides motor into the stowed position & secures it in place •Secondary lock prevents unintentional deployment & potential damage •Power is automatically turned off when the motor is in stowed position •2-Blade Safari Prop •Xi5 w/MotorGuide's Pinpoint GPS technology available either integrated or as an easy upgrade •Compact, easy-to-use remote controls these Pinpoint GPS features: **Anchor**-holds boat position on a fixed GPS coordinate; **Heading Lock**-navigates the boat to a specific compass heading; **Route**-record and playback up to eight routes of up to 4 miles each; **Cruise Control**-hold a GPS speed while navigating a heading or route

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	FWD/REV	Sugg.Ret.
FRESHWATER - WIRELESS FOOT PEDAL STANDARD							
5204975	940800170	Xi5-55FW	48"	55#	12	Variable	$799.99
5204976	940800180	Xi5-55FW	54"	55#	12	Variable	809.99
5204977	940800080	Xi5-80FW	54"	80#	24	Variable	1,109.99
5204978	940800090	Xi5-80FW	60"	80#	24	Variable	1,119.99
5204979	940800130	Xi5-105FW	54"	105#	36	Variable	1,309.99
5204980	940800140	Xi5-105FW	60"	105#	36	Variable	1,319.99

continued next page

MOTORGUIDE® Xi5™ WIRELESS

continued from previous page

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	FWD/REV	Sugg.Ret.
w/BUILT-IN TRANSDUCER - COMPATIBLE w/MOST LEADING SONAR BRANDS							
5204981	940800190	Xi5-55FW	48"	55#	12	Variable	909.99
5204982	940800200	Xi5-55FW	54"	55#	12	Variable	919.99
5204983	940800110	Xi5-80FW	54"	80#	24	Variable	1,209.99
5204984	940800120	Xi5-80FW	60"	80#	24	Variable	1,219.99
5204985	940800150	Xi5-105FW	54"	105#	36	Variable	1,419.99
5204986	940800160	Xi5-105FW	60"	105#	36	Variable	1,429.99
w/BUILT-IN TRANSDUCER w/SONAR CAPABILITY & PINPOINT GPS							
5204987	940800210	Xi5-55FW	45"	55#	12	Variable	1,249.99
5204988	940800220	Xi5-55FW	54"	55#	12	Variable	1,259.99
5205014	940800270	Xi5-80FW	45"	80#	24	Variable	1,489.99
5204989	940800230	Xi5-80FW	54"	80#	24	Variable	1,499.99
5204990	940800240	Xi5-80FW	60"	80#	24	Variable	1,509.99
5204991	940800250	Xi5-105FW	54"	105#	36	Variable	1,689.99
5204992	940800260	Xi5-105FW	60"	105#	36	Variable	1,699.99
5205044	940800280	Xi5-105FW	48"	105#	36	Variable	1,679.99
SALTWATER - HAND HELD REMOTE STANDARD							
5204994	941700060	Xi5-55SW	48"	55#	12	Variable	909.99
5204995	941700070	Xi5-55SW	54"	55#	12	Variable	919.99
5204996	941700020	Xi5-80SW	54"	80#	24	Variable	1,219.99
5204997	941700030	Xi5-80SW	60"	80#	24	Variable	1,229.99
5204998	941700040	Xi5-105SW	54"	105#	36	Variable	1,419.99
5204999	941700050	Xi5-105SW	60"	105#	36	Variable	1,429.99
w/PINPOINT GPS							
5205000	941700080	Xi5-55SW	54"	55#	12	Variable	1,199.99
5205043	941700110	Xi5-80SW	48"	80#	24	Variable	1,459.99
5205001	941700090	Xi5-80SW	60"	80#	24	Variable	1,479.99
5205002	941700100	Xi5-105SW	60"	105#	36	Variable	1,799.99

MOTORGUIDE® REPLACEMENT PROPS



Order #	Mfg. #	Prop Style	Dia.	Blades	Type	Illu.	Sugg.Ret.
5204532	8M0028330	Safari™	3-1/2"	2	Weedless	A	$33.99
5202132	MGA089W	Machete® III™ (Glass filled)	3-1/2"	3	Weedless	B	44.99
5202133	MGA089G	Grey Machete® III (Glass filled)	3-1/2"	3	Weedless	C	44.99
5201865	MGA089B	Machete® III (Composite)	3-1/2"	3	Weedless	D	33.99
5201319	MGA087M	Machete® (Metal)	3-1/2"	3	Weedless	E	58.99
5200414	MGA0476B	Ninja®	3"	2	Power	F	33.99
5200416	MGA0495B	Ninja®	3-1/2"	2	Power	G	33.99

MOTORGUIDE® PINPOINT® GPS NAVIGATION SYSTEM

•Available for the Xi5 wireless trolling motor •Delivers on-target location accuracy that enable anglers to precisely position their boats & achieve optimum boat control •Compact, easy-to-use hand-held remote controls these features: ***•Anchor*** - holds boat position on a fixed GPS coordinate; Stores & recalls up to 8 positions; While in Anchor mode, the directional controls can be used to move the boat in 5' increments in any direction ***•Heading Lock*** - navigates the boat to a specific compass heading ***•Route*** - record & playback up to 8 routes of up to 4 miles each ***•Cruise Control*** - hold a GPS speed while navigating a heading or route

Order #	Mfg. #	Sugg.Ret.
5205101	8M0092070	$449.99
REPLACEMENT REMOTE		
5205102	8M0092071	119.99

MOTORGUIDE® LOWRANCE® OPTIMIZED TOUR SERIES SONAR-READY ADAPTORS

•5204525: Lowrance® 6-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.
•5204526: Vexilar® 3-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.
•5204527: Garmin® 6-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.
•5204528: Humminbird® 7-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.
Note: Tour Series 2010 & newer wireless motors with blue/gray connectors

Order #	Mfg. #	Model	Sugg.Ret.
5204525	8M4001959	Lowrance® 6-pin	$35.99
5204526	8M4001960	Vexilar® 3-pin	35.99
5204527	8M4001961	Garmin® 6-pin	35.99
5204528	8M4001962	Humminbird® 7-pin	35.99

MotorGuide®

NEW

MOTORGUIDE®
NMEA 2000 STARTER KIT

•For setting up the onboard NMEA 2000 network required for MotorGuide® Pinpoint® GPS Gateway connections •Kit includes (2) T-Connectors, (1) power node, (1) extension/drop cable, (1) 120 ohm female, (1) 120 ohm male, & termination resistors •Ideal for MotorGuide® Pinpoint® GPS-equipped Xi5 trolling motors with compatible Lowrance® fish finder/chartplotters •**NOTE:** To complete the MotorGuide® Lowrance® connection, the NMEA 2000 Gateway Kit (sold separately) is also required

Order #	Mfg. #	Sugg.Ret.
5205071	8M0092086	$59.99

NEW

MOTORGUIDE®
NMEA 2000 GATEWAY KIT

•Enables all the functions controlled by the Pinpoint® GPS hand-held remote (Anchor, Jog, Heading Lock, Route Record/Playback, & Cruise Control) to be operated from a compatible Lowrance® display, utilizing Lowrance® SmartSteer™ making it easy for anglers to create new fishing strategies, while the electronics & trolling motor do the rest •Use your fishfinder to determine optimum anchor & waypoint locations, plus set, recall, & navigate to your preferences right on the display •Use the chartplotter to plot courses or recall routes at the desired depth or structure, plus create & vary bait presentation by customizing fishing patterns such as U-turn, C-turn, Spiral turn, Zigzag, Square, & Lazy S

Order #	Mfg. #	Sugg.Ret.
5205070	8M0092085	$249.99

MOTORGUIDE®
8-GAUGE BATTERY CABLE & TERMINALS

•Includes 50 amp manual reset breaker w/ heavy-duty cable & terminal

Order #	Mfg. #	Sugg.Ret.
5204905	MM309922T	$22.99

MOTORGUIDE®
Xi5 REPLACEMENT PARTS

Order #	Mfg. #	Style	Sugg.Ret.
5205103	8M0092068	Remote Fob 2.4 GHZ	$74.99
5205104	8M0092069	Foot Pedal 2.4 GHZ	199.99

MOTORGUIDE®
DRC DIGITAL REMOTE CONTROL

•**FOR:** Wireless Series •Digital wireless remote •Constant On/Off, Left/Right & digital speed control •Multiple DRC remote capable •Easy set-up & installation •High speed steering & response

Order #	Mfg. #	Sugg.Ret.
SPARE REMOTE FOR MULTIPLE KEY FOB APPLICATIONS		
5201891	M887657	$72.99
WIRELESS FOOT PEDAL		
5204325	8M4000952	105.99

MOTORGUIDE®
20.8 GATOR BREAKAWAY

•Hinged door for quick access/motor removal •Center Decket adds mounting flexiblity with prop in or out options •Oversized 3/8" stainless steel pins and componentry •Extruded aircraft aluminum base •Easy-grip rubber knobs •Single-hand stow and deploy with quick snap of the wrist •Consistent hole patterns from mount to mount

Order #	Mfg. #	Sugg.Ret.
5204480	8M4002192	$249.99

MOTORGUIDE®
21 GATOR™ SPRING

•Hinged door for quick access motor removal •Stainless steel pins and componentry •Extruded aircraft aluminum or proprietary Mercury® Marine-grade XK360 die-cast aluminum •Easy-grip rubber knobs •Consistent hole patterns from mount to mount •Includes mounting hardware for easy installation

Order #	Mfg. #	Sub-Model	Finish	Sugg.Ret.
5201738	8M4002190	21	Black	$299.99

MOTORGUIDE®
REMOVABLE MOUNT PLATE

•With the pull of a pin, this "quick release" mounting system provides easy on, easy off access •Universal hole patterns •Fits the Gator Flex 360, 20.8, 21, 24, 21R, 23.5 & 20.5 Gator style mounts

Order #	Mfg. #	For	Sugg.Ret.
5204564	MGA501A2	Freshwater	$114.99
5204152	MGA515A2	Saltwater	114.99

MOTORGUIDE®
MOUNTING BOLTS & ISOLATORS

•Above deck/easy mounting •Absorbs rough water shock and trailering •4 bolts per package

Order #	Mfg. #	Sugg.Ret.
5200165	MGA015PB6	$17.99

MOTORGUIDE®
BOUNCE BUSTER®

•Designed for the Gator Mount •Prevents mount, motor & boat damage in rough waters

Order #	Mfg. #	For	Sugg.Ret.
5201660	MGA097B6	21/24 Gator II Mount	$47.99

MotorGuide®

MOTORGUIDE® TROLLING MOTOR TIE DOWN STRAP

•Keeps motor firmly in place while running at high speed

Order #	Mfg. #	For	Sugg.Ret.
5204157	MGA507A1	Gator 360	$13.99

MOTORGUIDE® STANDARD MOTOR REPLACEMENT PARTS

Order #	Mfg. #	Type	Sugg.Ret.
BATTERY CLAMPS			
5205078	8M0092072	Top Post	$19.99
HANDLE			
5204155	MGA504A1	14" Fixed Extension handle	17.99
MOTOR PLUG			
5205108	8M0092065	Med. Duty	14.99
MOTOR RECEPTACLE			
5205109	8M0092066	Med. Duty	14.99
MOUNTING COMPONENTS			
5204153	MGA506A1	Wireless Mount Plate Cover	28.99
5204210	8M4000292	Wireless Mount Plate Cover (White)	28.99
5204517	8M4000975	Wireless Mounting Plate	38.99
5205105	8M0092063	QR Bracket, Composite, White	59.99
5205106	8M0092064	QR Bracket, Aluminum, Black	99.99
PROP KIT			
5200417	MGA050B6	Prop nut, wrench, prop pin kit	15.99
RECEPTACLE ADAPTER			
5205110	8M0092067	6 Gauge	14.99
SWITCHES AND COMPONENTS			
5205013	8M0064076	60 Amp Breaker Kit	39.99
5204524	MM5870	50 amp Circuit Breaker	15.99

NAVIGATOR

NAVIGATOR® TOURNAMENT SERIES POWER PROP

•2 bladed prop made of heavy duty plastic with a 4 pitch, 8-3/4" diameter •Used on all Navigator Trolling Motors

Order #	Mfg. #	Sugg.Ret.
5202052	65-8302	$34.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

PINPOINT™ MARINE IMAGING TECHNOLOGY

PINPOINT™ ACCESSORIES

Order #	Mfg. #	Application	Sugg.Ret.
CONSOLE TO BOW AUXILIARY "Y" CABLE			
5201306	MCBAY20	20' cable w/one 6-pin connector going to two 9-pin connectors- Allows System to connect any Standalone Display	$49.99

THINK YOUNG FOR QUALITY FISHING U S A



YOUNG DIE-CAST ALUMINUM TROLLING PROPS

•Precision die-cast aluminum trolling props

Order #	Mfg. #	Brand	Fits	Sugg.Ret.
5200343	T-1	MINN KOTA	Older models 40, 60, CDR, HGR & UWR - 7" prop w/counter clockwise rotation & 3/8" shaft	$14.99
5200427	T-2	SILVER TROLL	Older models with 1/2" shaft size; 6-3/4" prop w/counter clockwise rotation & 2" hub	14.99
5200345	T-3	MOTORGUIDE	Older models w/oversize 1/2" shaft - 6-3/4" prop w/counter clockwise rotation & 2" hub	14.99
5200424	T-4	SHAKESPEARE, PFLUEGER, PHANTOM, SEAR, WESTERN AUTO	Older models w/2 blade 5-3/4" prop & 5/16" shaft	14.99
5200587	T-7	ELECTRA PAL & TROLLMASTER	Models w/5-1/2" prop & 5/16" shaft size	14.99

continued next page

continued from previous page

YOUNG
DIE-CAST ALUMINUM TROLLING PROPS

Order #	Mfg. #	Brand	Fits	Sugg.Ret.
5200348	T-8	MOTORGUIDE	Older Super MotorGuide & Magnum models - 5-1/2" prop w/3/8" shaft	14.99
5200346	T-10	MINN KOTA & ROBOTROL	Through 1983 MinnKota models 50, 55, 55A, 55B, 55C, 355, 355A, 355B, 355C, 550, 555, 555A, 555B, 555C, Mag 4, Mag 4RM, Mag 12, Mag 12RM, Mag 12TM, Mag 12A, Mag 15, Mag 5RM, & Mag 15TM - 5-3/4'' prop w/3/8'' shaft	14.99
5200344	T-11	MINN KOTA	Through 1983 models 10, 10A, 10B, 15, 15A, 15B, 15C, 20, 25, 30, 35, 35A, 35B, 530, 535, 535A, 535B, 735 & Mag 12X - 5-3/4" prop w/5/16" shaft	14.99
5200356	T-13	JOHNSON & EVINRUDE	Motors w/5-1/2" prop & 3/8" dia. shaft	14.99
5200347	T-15	MINN KOTA	Through 1983 models 55D, 355D, 555D, 565, 65, 75A, 575A, Mag 18 & Mag 24A - will also replace standard 9'' prop on other models where a slightly smaller and stronger prop w/excellent performance is desired -7" prop w/3/8" shaft	14.99
5200357	T-18	MOTORGUIDE	Older models Hawg & Brute - 7" prop w/3/8" shaft size & counter clockwise rotation	14.99
5200585	T-5W	BYRD	Eagle & Double Eagle - 6-1/2" high performance weedless prop w/3/8" shaft size (also includes adapter for 5/16'' shaft size) - clockwise rotation & 2-1/2" hub - also fits older Lazytrol (except Lazytrol Jr.) - This prop replaces Young T-5 prop	18.99
5200350	T-19W	MERCURY & MINN KOTA	Universal 10-1/2" high performance weedless prop for gear driven Mercury Thruster & Thruster Plus; also fits Minn Kota models 85, 385, 585, Mag 28, Mag 28TM, Mag 28RM, 85W, 85A, 385A, 385W, 585B & 585A - 3/8" shaft size & 3" hub w/clockwise rotation	24.99
5200349	T-20W	MINN KOTA & MOTORGUIDE	Weedless models 55W, 65W, 555W & 565W - Will replace standard 9" prop on most older Minn Kota models; Fits newer MotorGuide weedless models, Hawg, Brute MotorGuide III & Warrior; will also replace standard 6-1/2" prop on most older models MotorGuide w/3" dia. motor; 8" high performance weedless prop w/3/8" shaft size & 3" hub w/counter clockwise rotation	24.99
5200358	T-21W	SHAKESPEARE	3" dia. motors, Sigma 25, 25BM, 28, 28B, 28BMRC, 30, 30B, 30BMRC, 25W, 30W, 35W, Sigma Supra 280, 280BM, 280W, 330 & 330W. 8" high performance weedless prop w/3" hub & 3/8" shaft size (also includes adapter for 5/16" shaft size)	24.99
5200590	T-23W	JOHNSON & EVINRUDE	12/24 volt weedless models - 8-3/4" high performance weedless prop w/3/8" shaft size & clockwise rotation	24.99

TROLLING MOTOR ACCESSORIES

ANGLER'S PAL
TROLLING MOTOR MOUNT

•Mount features a unique rubber lock down strap that eliminates the trolling motor from moving when flying across the lake or traveling down the road •Stainless steel/ black hard anodized aluminum for fresh & saltwater use •OAL: 10''

Order #	Mfg. #	Sugg.Ret.
5204556	AP-MM10	$96.99

BIG FOOT® MARINE
BIG FOOT 2 TROLLING MOTOR HANDLE

•One size •Fits any hand-operated trolling motor •Adjustable horizontal position: 36'' to 48'' •Adj. vertical position: 23'' to 35'' •Features twist & lock grip for easy operation •Attaches to trolling motor shaft with patented non-slip 4-bolt locking system •Easy to install

Order #	Mfg. #	Sugg.Ret.
5201659	BFH-2	$49.99

BIG FOOT® MARINE
TROLLING MOTOR SWITCH

•Two switches in one •Momentary and on/off •For all hand-operated 12V or 24V trolling motors

Order #	Mfg. #	Sugg.Ret.
5202051	BFS-2-1	$18.99

BOATBUCKLE®
TROLLING MOTOR TIE-DOWN SYSTEM

•Black webbing •Shur-Grip release handle allows for a comfortable, secure hold •Mounting screws countersink into rubber grommets, keeping metal hardware away from equipment •Sold by the pair

Order #	Mfg. #	Type	Sugg.Ret.
5202027	F15437	Standard Trolling Motor	$14.99

1-800-845-3711
www.ellettbrothers.com

Johnny Ray LLC
New Ideas for Better Fishing !!

JOHNNY RAY SPEED REEDER UNIVERAL TRANSOM MOUNTED TRANSDUCER BRACKET

•Eliminates your high speed depth sounder reading problems •Constructed of heavy 16 gauge T-304 Stainless Steel & assembled w/ stainless steel hardware •Designed & developed specifically to provide flawless depth finder reading at high speed or while cornering •Unique two-piece adjustable design provides an infinite number of settings to match your boat's transom angle & the water's surface •Keeps the transducer in clean (non-turbulent) water at speed or when cornering •"Kick-up" design protects your transducer from floating or hidden objects under water

Order #	Mfg. #	Sugg.Ret.
5026891	JR-3	$34.99

JOHNNY RAY TRANSDUCER MOUNTING BRACKET

•Designed to provide a solid, secure and easy way to mount the transducer of your electronic unit to the shaft of your trolling motor •Brackets offset the transducer to the side of the motor to protect it from damage •Also allows for easy cone angle adjustments to make the unit perform to its true potential •The brackets have the ability to convert any conventional electronic unit to a side-scanning unit by turning the transducer 90º to the lake bottom •Die-formed from .093 aircraft grade aluminum, anodized to eliminate electrical interference and include zinc-plated mounting hardware

Model JR-1: Fits 1'' dia. shaft: MotorGuide, Evinrude, Johnson, OMC.
Model JR-2: Fits: Minn Kota.

Order #	Mfg. #	Model	Sugg.Ret.
5000631	JR-1	JR-1	$16.99
5000632	JR-2	JR-2	16.99

Marinco

MARINCO® CONNECT PRO RECEPTACLE & PLUG

•Receptacle: Universal design for 2 or 3-wire configuration 12, 24, 12/24, 24/36 or 36 volt systems •Watertight sealing cap •Corrosion-resistant, plated brass electrical components •Drain holes keep water away from electrical components •Perma-Lock™ screw terminals will not loosen under extreme hull vibration •Standard 1-1/8'' dia. mounting hole •Easy to install, with supplied mounting plate for front panel installation, or locking ring for rear access installation •Accepts up to 8 ga. wire •Easily replaces other trolling motor plugs and receptacles **•Plug:** O-ring seal for waterproof connections •Weather-resistant plug cover •Corrosion-resistant, plated brass electrical components •Accepts up to 8-ga. wire •Ergonomic contoured grip for easy hookup & ground blade alignment

Order #	Mfg. #	Type	Sugg.Ret.
5201500	12VCP	Receptacle & Plug	$52.99
5201501	12VBR	Receptacle Only	28.99
5201502	12VBP	Plug Only	23.99
5201587	12VBRAD	Adaptor for 6-ga. wire	23.99

MARINCO® TROLLING/CHARGING SYSTEM

•4-wire Trolling/Charging System eliminates need for charge/run switch •Install receptacle on boat, mount black trolling motor plug on trolling motor & red charger plug on leads of battery charger •Plug in black plug to troll, or red plug to charge

MARINCO® 12V CHARGER PLUG-MALE

•Connects to 12V battery charger to allow simultaneous charging of two 12V batteries when plugged into receptacle •Red

Order #	Mfg. #	Sugg.Ret.
6003015	2018BP-12	$32.99

MARINCO® 12/24V TROLLING MOTOR PLUG-MALE

•Connects to trolling motor •Jumpered internally to supply 12V & 24V power to trolling motor when plugged into receptacle •Black

Order #	Mfg. #	Sugg.Ret.
6001817	2018BP-24	$29.99

MARINCO® 12/24V LOCKING SYSTEM-RECEPTACLE & BRACKET

•Spring loaded flip lid cover & 2018BR receptacle, pre-assembled •Convenient mounting

Order #	Mfg. #	Sugg.Ret.
6031994	2018BR-MB	$96.99

MARINCO® 12/24V LOCKING SYSTEM-TROLLING MOTOR RECEPTACLE

•Glass-reinforced, corrosion-resistant nylon •Accepts 8-ga. stranded wire or up to 6-ga. w/ring terminals •Black

Order #	Mfg. #	Sugg.Ret.
6001818	2018BR	$62.99

MARINCO® MOUNTING BRACKET

•Spring-loaded flip lid cover •Without receptacle

Order #	Mfg. #	Sugg.Ret.
6001971	2018MB	$36.99

MARINCO® 12/24V TROLLING MOTOR PACKAGE

•Includes: 2018BP-12, 2018BP-24 & 2018BR-MB Economically priced, conveniently packaged in one pack

Order #	Mfg. #	Sugg.Ret.
6001972	2018PKG	$123.99

MAR-LAN INDUSTRIES

MAR-LAN TROLLING PLUG RECEPTACLE

•Troll plugs are molded w/flexible PVC at terminal location for easy plug-in alignment •Mounting surface on recptacles are molded w/rigid polypropylene •Fits in 1-1/8" hole - #10 mounting holes •2-1/2"x1-3/4" •Carded

Order #	Mfg. #	Type	Sugg.Ret.
5200271	5011-02C	12V, 10 ga., 2 wire	$6.99
5200272	5011-03C	12/24V, 10 ga., 3 wire	8.99

MAR-LAN TROLLING MOTOR PLUGS

•Male plugs are molded w/flexible PVC at terminal location for easy plug-in alignment •Carded

Order #	Mfg. #	Type	Sugg.Ret.
5200252	5010-03C	12/24 Volt, 10 ga., 3 wire	$8.99
5200253	5010-02C	12 Volt, 10 ga., 2 wire	6.99

MAR-LAN TROLLING MOTOR WIRE, PLUG & RECEPTACLE SETS

•Designed to be flush-mounted in the bow of boat •Socket makes connection of trolling motor quick & easy •Set includes (1) motor side plug, 6"L wire lead w/butt connector & (1) female boat side socket/receptacle w/6"L wire lead w/butt connector

Order #	Mfg. #	Wire	Sugg.Ret.
5204610	501-02-02C	10 ga.	$14.99
5204611	501-28-2C	8 ga.	19.99

MAR-LAN ACCESSORY SOCKET w/CAP

•Durable polypropylene plastic & all brass contacts to resist corrosion •Mounts in 1-1/8" hole with #10 mounting holes •1-1/4"x2" face plate, 6" leads, 12 volt •Carded

Order #	Mfg. #	Sugg.Ret.
5200256	5250C	$10.99

PANTHER By MarineTech

PANTHER™ AUXILIARY MOTOR STEERING KIT

•Ideal way to provide remote control steering for any type or size outboard trolling motor up to 25HP

Order #	Mfg. #	Finish	Sugg.Ret.
6306345	55-2600	Stainless	$66.99

R&R DESIGN INCORPORATED

R&R DESIGN INC. RECESSED TROLLING MOTOR PAN

•Powder coated aluminum •UV protected •Universal - any brand of trolling motor foot control will fit in the pan •Dimensions: 9-3/4"Wx17"Lx4"D •Outside flange dimensions: 12"Wx19-1/2"L

Order #	Mfg. #	Sugg.Ret.
5204565	100RTMP	$65.99

RAM® MOUNTS MADE IN USA Your Best Connection™

RAM® MOUNTS TROLLING MOTOR STABILIZER MOUNT

•Consists of a double ball socket arm, 2.5" diameter round base that contains the universal AMPs hole pattern & single strap base •Strap will accommodate rails from 0.5" to 2" in diameter •Trolling motor stabilizer will take every bit of the vibration out of your trolling motor while all the time protecting the head, shaft & mount from damage •Powder coated marine grade aluminum •1.5" rubber ball size

Order #	Mfg. #	Sugg.Ret.
5204946	RAM-108	$52.99

RAM MOUNTS TROLLING MOTOR STABILIZERS

•Safely and securely attach the shaft of your trolling motor to your boat •Accomodates shafts up to 2" in diameter

Order #	Mfg. #	Kit Features	Sugg.Ret.
5204466	RAM-108-1	5-5/8" arm & hardware	$49.99
5204467	RAM-108-1-D	9-1/8" arm & hardware	69.99

ROD SAVER® MARINE ACCESSORIES

ROD SAVER® TROLLING MOTOR TIE-DOWN

•Specially designed for trolling motors •Keeps motor firmly mounted to boat and secure with less bouncing while traveling down lake

Order #	Mfg. #	Length	Sugg.Ret.
5200760	TMS10	9" to 18"	$11.99

ROD SAVER® MARINE ACCESSORIES

ROD SAVER®
FLAT FOOT RECESSED TRAY

•For your trolling motor foot control •Allows you to improve your posture, reducing back pain •Boat deck is much less cluttered - no more tripping over the foot control •Constructed of heavy duty, durable 1/8" aluminum & has a baked-on powder coat finish •Will install in any brand of boat & comes w/easy to follow mounting instructions, cutting template, 2' of drain tube & stainless steel mounting hardware
•**Minn Kota model:** Hole size is 11-1/4"x16-3/4". Outside dimensions: 13-1/8"Wx18-1/4"Lx4"D. Inside floor dimensions: 11"x12".
•**MotorGuide model:** Hole size is 9-3/4"x16-3/4". Outside dimensions: 11-1/2"Wx18-1/4"Lx4"D. Inside floor dimensions: 9-1/2"x12".

Order #	Mfg. #	Model	Sugg.Ret.
5204944	FFMK	Minn Kota	$201.99
5204945	FFMG	MotorGuide	199.99

ROD SAVER®
REPLACEMENT CABLE FOR TROLLING MOTOR ROPE

•Durable, stainless steel braided cable replaces manufacturer's pull rope on your trolling motor •Will not rust, break or rot •Includes easy to follow installation instructions

Order #	Mfg. #	Sugg.Ret.
5204922	TR	$19.99

Sierra Marine Engine and Drive Parts

SIERRA®
12V TROLLING MOTOR SOCKETS

•**Female:** 12 volt w/butt connector •10-ga. Ready-wired •Replaces: Mar-Lan 5011-02 •**Male:** 12 volt with butt connector •10-ga. Ready-wired •Replaces: Mar-Lan 5010-02

Order #	Mfg. #	Type	Sugg.Ret.
6200065	WH10470	Female	$18.99
6200066	WH10480	Male	15.99

SIERRA®
24V TROLLING MOTOR SOCKETS

•**Female:** 24 volt w/butt connector •10-ga. Ready-wired •Replaces: Mar-Lan 5011-03 •**Male:** 24 volt w/butt connector •10-ga. Ready-wired •Replaces: Mar-Lan 5010-03

Order #	Mfg. #	Type	Sugg.Ret.
6200067	WH10490	Female	$21.99
6200068	WH10500	Male	17.99

SIERRA®
MALE BOAT SIDE CONNECTOR

•**12 Volt:** 6" w/butt connector •8-ga. Ready-wired •24 Volt: 6" w/butt connector •8-ga. Ready-wired

Order #	Mfg. #	Type	Sugg.Ret.
6201298	WH10520	12 Volt	$19.99
6201300	WH10540	24 Volt	23.99

SIERRA®
FEMALE MOTOR SIDE PLUG

•**12 Volt:** 6" w/butt connector •8-ga. Ready-wired •**24 Volt:** 6" w/butt connector •8-ga. Ready-wired

Order #	Mfg. #	Type	Sugg.Ret.
6201299	WH10530	12 Volt	$17.99
6201301	WH10550	24 Volt	21.99

SPRINGFIELD

SPRINGFIELD
QUICK TROLL TROLLING MOTOR SUPPORT

•Allows for quick & easy removal of trolling motor •Mounting plate is 5-1/2"x20-1/2" •Pre-drilled for MotorGuide trolling motors with 07 & 16 mounts •Also, retro-fits 01 & 15 •Step pad covers included

Order #	Mfg. #	Sugg.Ret.
5202148	1940055	$91.99

SWIVL-EZE by attwood

SWIVL-EZE®
TROL-LOCK

•Allows quick removal of motor in seconds
•Perfect for fish & ski & pontoon boats •5-1/2"x20-1/2" black powder-coated base with 5-1/2" diameter mounting plates •Pre-drilled

Order #	Mfg. #	Fits	Sugg.Ret.
w/GLASS-FILLED PLASTIC MOUNTING PADS, STEP PAD COVERS			
5200332	5000	M/Guide 01, 07, 16 & 15 mnts.	$129.99

T-H Marine

T-H MARINE
G-FORCE™ TROLLING MOTOR REPLACEMENT HANDLE & CABLE

•Trolling motor replacement release & lift system is a rugged, nylon jacketed stainless steel cable with a large comfortable cushioned grip handle •Endorsed by B.A.S.S. Elite Pro "G-Man" Gerald Swindle •Fits most models and makes •Comes complete with a hook-n-loop strap to secure to the motor shaft while underway

Order #	Mfg. #	Color	Sugg.Ret.
5204947	GFH-1R-DP	Red	$42.99
5204957	GFH-1G-DP	Gray	42.99

T-H MARINE TROLL-TAMER™ TROLLING MOTOR STABILIZER LOCK

•Trolling motor deck lock is designed to securely hold the trolling motor in place to prevent damage •Machined from 300 Series SS & assembled to endure even the roughest conditions
•**RMC-101MG-DP:** Applications: MotorGuide Tour Series & Freshwater Series, Gator Mounts 20.8, 21, 21R, 24 & 24R. Distance from deck to motor: 5" to 8".
•**RMC-105FMK-DP:** Applications: Minn Kota Fortrex, Ranger Z Boats. Distance from deck to motor: 2-3/4" to 4-1/4".
•**RMC-104FMK-DP:** Applications: Minn Kota Fortrex. Distance from deck to motor: 3-1/2" to 5".

Order #	Mfg. #	For	Sugg.Ret.
5205037	RMC-101MG-DP	MotorGuide	$99.99
5205038	RMC-105FMK-DP	Minn Kota	99.99
5205039	RMC-104FMK-DP	Minn Kota	99.99

T-H MARINE TROLLING MOTOR & CHARGER POWER PLUG & RECEPTACLE

•Heavy-duty use, handles high amps •Water tight seal •Gold contacts
•Original equipment on Ranger® boats •Handles 12 or 24-volt systems

Order #	Mfg. #	Type	Sugg.Ret.
5201588	TMBMP-1-DP	Plug	$31.99
5201589	TMFR-1-DP	Receptacle	48.99

T-H MARINE TROLLING MOTOR MOUNT

•Cast aluminum bracket, marine wood mounting block •Designed for clamp-on type electric trolling motors •**NOTE:** Maximum 36 lb. thrust
•Motor must be removed & stowed before operating boat or trailering
•NOT designed for OB's of any horsepower.

Order #	Mfg. #	Sugg.Ret.
5200205	TMM-1-DP	$59.99

T-H MARINE TRANSDUCER MOUNTING KIT

•Mounts transducer to trolling motor gear case
•One 4" stainless steel clamp secures transducer •Includes 12 ties to secure cables

Order #	Mfg. #	Sugg.Ret.
5201171	TMK-1-DP	$10.99

T-H MARINE SURE FOOT™ TROLLING MOTOR SWITCH

•For electric trolling motors •Rated to 50 AMPS D.C. 15º tilt angle for ease of operation

Order #	Mfg. #	Sugg.Ret.
5200202	FCS-2-DP	$20.99

T-H MARINE EXTENDER

•Designed for electric trolling motors
•Easily installs on 1"x1-1/8" diameter shaft •Cast aluminum with SS shaft •Adjusts from 0"-30" long

Order #	Mfg. #	Sugg.Ret.
5200204	EX-1-DP	$88.99

TRAC® TROLLING MOTOR RIGGING KIT

•Everything you need to wire your boat for high-current (60 amp) 12v/24v/36v power •Kit includes: TRAC® high-current connection system (two quick-connect plugs for boat or battery & trolling motor or other device; 1-1/2" round hole adapter; U-bracket); 30-ft. of heavy 8-gauge AWG tin-plated marine-grade battery wire; High-current 60 amp manual resetting circuit breaker; (2) 14" 8-gauge cross-over wire for 24v & 36v systems; (4) isolator bolts to install trolling motor to other device; 28-ft. of corrugated wire loom; heat-shrink terminations

Order #	Mfg. #	Sugg.Ret.
5205046	T10141	$152.99

TRAC® TROLLING MOTOR CONNECTOR KITS

•Kit includes (2) plugs/connectors, 1.5" round hole adapter, U-bracket, & 10" tin-plated connection wires •High current amp capacity. Strain relief seals wire & adds durability to the connector •Weatherproof connection w/soft seals •Snal-lock connection - holds connectors together w/6 lb. of force, yet pulls free if power wire is ripped away •Long bolts for thicknesses up to 1-1/8"

Order #	Mfg. #	Wire	Capacity	Sugg.Ret.
5204914	T10136	8 Ga.	80 amp	$21.99
5204915	T10137	10 Ga.	60 amp	19.99

TRAC® TROLLING MOTOR PLUGS

•One plug w/10" lead wires

Order #	Mfg. #	Wire	Sugg.Ret.
5204916	T10138	8 Ga.	$10.99
5204917	T10139	10 Ga.	9.99

NEW

TRAC®
SEALED THERMAL CIRCUIT BREAKER

•60 amp •High current •Manual resetting w/visible lever •Water-resistant seal •Weatherproof •OAL: 3.95”

Order #	Mfg. #	Sugg.Ret.
6033697	T10162	$26.95

TRAC®
ISOLATOR BOLTS

•Install your anchor winch, trolling motor, & other accessories from the top of your boat deck •Corrosion resistant Dacromet coated steel bolts •Saltwater capable •Protects your boat from vibrations •Easily installed in 1/2” hole w/Phillips head screwdriver •Long bolts for thicknesses up to 1-1/8”

Order #	Mfg. #	Qty.	Sugg.Ret.
5204912	T10075	4-Pack	$11.99
5204913	T10076	8-Pack	22.99

TROLLMaster By MarineTech™

TROLLMASTER™
PRO 2 REMOTE THROTTLE

•Remote throttle for gas-powered trolling motors w/digital display & 10-times the throttle adjustment of the original PRO model •Unique memory feature allows you to return to the previously calibrated trolling speed after being in the idle position without moving the control knob, simply use the idle/run selector switch •Redesigned flat control panel w/touch-button switches provides throttle control of an auxiliary outboard from anywhere in the boat •Allows a momentary burst of full throttle for correcting your heading quickly or jumping to a desired spot •Installs easily & will not interfere w/manual motor operation •Requires less than 2 amps for reduced battery load

Order #	Mfg. #	For	Sugg.Ret.
5204948	TM207DPRO2	Honda 8,9.9,15 &20 (2001-2010)	$299.99
5204921	TM208DPRO2	John./Evn./Suz. 9.9 & 15 (2003-2010)	299.99
5204950	TM214DPRO2	Mercury 15 & 20 Tiller & Remote Shift Throttle (2011-Present)	299.99
5204902	TM213DPRO2	Mercury 8, 9.9 Tiller (‘05-Present)	299.99
5204903	TM212DPRO2	Mercury 8, 9.9 Remote Shift/Throttle (‘05-Present)	299.99
5204904	TM201DPRO2	Merc Mariner (‘90-’04) & Yamaha 9.9, 15 (‘90-’06)	299.99
5204901	TM206DPRO2	Yamaha 6, T8 (All Years) & Yamaha 9.9 (‘08-Present)	289.99

NOTES